
POPULAR
SCIENCE

ANNOUNCING AMAZING
TYPEWRITER BARGAIN

BRAND NEW MODEL No. 5
REMINGTON PORTABLE
10¢ A DAY

MONEY BACK GUARANTEE

10 DAY FREE TRIAL OFFER

FREE EASY HOME TYPING COURSE

● Positively the greatest portable typewriter bargain ever offered! Now for the first time Remington, world-famous manufacturer, offers a NEW purchase plan... only 10¢ a day buys this latest model machine! Not a used or rebuilt typewriter. Not an incomplete machine. A beautiful brand *new* regulation Remington Portable. Standard 4-row keyboard; Standard width carriage; margin release on keyboard; back spacer; automatic ribbon reverse; *every essential feature found in standard typewriters!*

Money making opportunities always open

Hundreds of jobs are waiting for people who can type. A typewriter helps put your ideas on paper in logical, impressive form..helps you write clear, understandable sales reports, letters, articles, or stories. A Remington Portable has started many a young man and woman on the road to success.

A Gift for Every Member of the Family

If you want a gift for birthday, Christmas, or graduation... one that Father, Mother, Sister or Brother will use and appreciate for years to come... give a Remington Portable. It's the one gift that can be used with both pleasure and profit by every member of the family.

ACT...WHILE LOW PRICE HOLDS GOOD!

New wage scales in our own factories, and in the factories of the companies which make our materials, point definitely to higher prices. Stocks of machines on hand make possible the present unbelievably low cash price on this machine. Everything points to higher prices. We cannot possibly guarantee this low price in the face of constantly rising costs in every one of our departments. So we say . . . "Act fast!"

10 DAY FREE TRIAL OFFER

You can try this machine for 10 days without risking one penny of your money. *Not even shipping charges.* Send for complete details on this most liberal offer. Get attractive new catalogue illustrating and describing the many Remington models available on unusually low terms. Clip coupon today!

EVERY ESSENTIAL FEATURE found in Standard Machines

Buying a typewriter isn't like buying a suit of clothes. Many Remington portables, seeing 10 years of hard service are still in active use. When you buy...buy a machine with every *standard* feature. The Remington No. 5 is the most compact and durable portable ever built...includes all essential standard typewriter features. This beautiful machine represents the height of economy . . . unequalled economy in first cost . . . unequalled economy in service.

It is today the best value ever offered in typewriter history... and that statement comes from the company that has constantly *made* typewriter history. Buy now. It is a real bargain offer.

Specifications...

The Model 5 includes every essential feature found in standard typewriters. It has standard 4-row keyboard. Complete visibility. Standard width carriage for long envelopes. Carriage return lever of exceptional design for easy and rapid operation. Margin release on the keyboard. Automatic ribbon reverse. Back spacer. Two color ribbon shift. Variable line spacer. Adjustable margin stops. Auto set Paragraph Key (one of the most useful features found on any typewriter). Weight 11 lbs. 13 oz. Furnished with Pica or Elite type.

TYPING COURSE FREE

When you get your new Remington No. 5, you will get with it... ABSOLUTELY FREE... a 19-page course in typing. It teaches the Touch System, speeds up work. It is simply written and well illustrated. Instructions are easy as A.B.C. Even a child can understand this method. A little study and the average person, child or grown-up, becomes fascinated. Follow this course during the 10-DAY FREE TRIAL OFFER that we give you on your typewriter. At the end of that time, you should be able to dash off letters faster than with pen and ink.

CARRYING CASE FREE

With every Remington No. 5, a FREE carrying case sturdily built of 3-ply wood. Covered with heavy DuPont fabric. Top is removed in one motion, leaving machine firmly attached to base. Can be used anywhere... on knees, in chairs, on trains.

CLIP COUPON NOW

REMINGTON RAND INC., DEPT. 153-3, BUFFALO, N. Y.

Remington Rand Inc., Dept. 153-3, Buffalo, N. Y.

Please tell me how I can buy a new Remington Portable typewriter for only 10¢ a day. Also enclose your new catalog.

Name _____

Address _____

City _____ *State* _____

Engineers Tell Why

NEW PLYMOUTH IS THE WORLD'S SAFEST LOW-PRICED CAR

First Car ever built on High-Speed Safety Principle

Lower, lighter, safer! Chassis frame of Chrysler Corporation Safety Plymouth has the lowest center of gravity of any car in the low-price field. Weight is reduced 200 pounds. Result: greater safety, smoother riding, more economical operation.

Today's engineers deliver another New Kind of Car

AND now the Plymouth engineers have done it again! They have built a new Plymouth from the ground up—a new Plymouth that is safer, smoother, more economical!

Here is a car that will surprise you with its performance when tried out under the most severe driving conditions.

Here is a car that will amaze you with its beauty and luxury.

And here is a car that will delight you with its economy.

But let its engineers . . . first let *them* tell you why!

Let them tell you why this new Plymouth is the safest car in the low-price field—why it is the lightest, lowest and most maneuverable—why it is the smoothest riding and most economical.

Let them tell you why it is the most powerful Plymouth ever built—why it is the most beautiful Plymouth ever built—why it is the most luxurious Plymouth ever built.

Let them tell you why this new Plymouth is the greatest value ever offered in the low-price field.

Let them tell you why you should buy a Plymouth instead of a car costing hundreds of dollars more.

Let them tell you why you should see your Plymouth dealer at once.

Chrysler Safety Plymouth is the only car in the low-price field with Floating Power and Full Pressure Lubrication.

Safety Plymouth has the only genuine hydraulic brakes in the low-price field. Stopping surface is 30% greater than required by law.

Chrysler Safety Plymouth has the only Safety Glass windshield in the low-price field.

Safety Plymouth has the only Safety Steering Gear in the low-price field. Steering and front wheels are positively interlocked.

Safety Plymouth has the only Safety Rear Axle in the low-price field. Semi-floating type, with extra-large bearings and extra-heavy axle shafts.

PLYMOUTH THE LOW-PRICED CAR BY CHRYSLER

$565 and up

Model Sedan Illustrated Here

Prices at factory. Special equipment extra. Prices subject to change without notice. Chrysler Corporation reserves the right to discontinue models at any time.

Safety Plymouth is offered on easy terms through the Chrysler Motors Purchase Plan. Ask for the name of the nearest dealer.

Safety Plymouth is the only car in the low-price field with Floating Power and Full Pressure Lubrication. Safety Plymouth has the only genuine hydraulic brakes in the low-price field. Stopping surface is 30% greater than required by law. Safety Plymouth has the only Safety Glass windshield in the low-price field. Safety Plymouth has the only Safety Steering Gear in the low-price field. Steering and front wheels are positively interlocked. Safety Plymouth has the only Safety Rear Axle in the low-price field. Semi-floating type, with extra-large bearings and extra-heavy axle shafts.

RAYMOND J. BROWN, *Editor*
ARTHUR WAKELING, *Home Workshop Editor*
ALDEN P. ARMAGNAC, *Associate Editor*
SYDNEY OXBERRY, *Art Editor*

POPULAR SCIENCE

FOUNDED MONTHLY 1872

VOLUME 126 · NUMBER 3
15 Cents a Copy · $1.50 a Year
Published Monthly by
Popular Science Publishing Co., Inc.,
381 Fourth Ave., New York

TABLE OF CONTENTS for MARCH, 1935

March, 1935, Vol. 126, No. 3 **Popular Science Monthly** is published monthly at 381 Fourth Avenue, New York, N. Y., by the Popular Science Publishing Co., Inc. A. L. Cole, President and Treasurer; R. C. Wilson, Vice President; John Nichols, Vice President; F. W. Briggs, Sec'y. Entered as second-class matter Dec. 28, 1918, at the Post Office at New York under the act of March 3, 1879; additional entry as second-class matter at Dayton, Ohio. Entered as second-class matter at the Post Office Department, Canada. Printed in U. S. A. Single copy, 15 cents (20 cents in Canada). Yearly subscriptions to United States and its possessions, $1.50; foreign countries, including Canada, $2. Subscribers must notify us of change of address four weeks in advance of the next publication date. Be sure to give both old and new address. The contents of this magazine must not be reprinted without permission. The editors are not responsible for unsolicited contributions, and cannot guarantee the return of such material or insure against its loss. Contributions not accompanied by sufficient postage will not be returned. In presenting numerous stories of new products of applied science, **Popular Science Monthly** does not underwrite the business methods of the individuals or concerns producing them. The use of **Popular Science Monthly** articles for stock-selling schemes is never authorized.

FEATURES AND DEPARTMENTS

Cover design by EDGAR F. WITTMACK

AUTOMOBILES

AVIATION

THE GREATEST FUND of USEFUL KNOWLEDGE

Ever Offered in One Volume 22,000 Articles on Every Practical and Cultural Subject

Formerly $3.50

now only

$1.95

Wholesale orders for 25,000 copies bring manufacturing costs way down. We pass on saving to you. Format same as $3.50 book.

In this one great book you have at your fingertips more useful knowledge than four years of college could give you. Never before has such a vast amount of information been offered in such convenient form at this amazingly low price. Written in simple language; facts are quickly, easily found. A miracle of completeness, conciseness and economy.

The Scope of 20 Big Volumes in ONE







Engineering
Mining
Bridges
Dams
Tunnels
Hydraulics
Surveying

Automobiles
Carburetors
Lubricants
Streamlining

Household Mechanics
Oil Burners
Plumbing
Refrigeration
Paint
Plaster

Anthropology
Races
Worship
Marriage

Radio
Broadcasting
Television
Radio Compass

Electricity
Motors
Dynamos
Measurements
Transmission
Telephony

Physics
Heat
Light
Magnetism
Radio-activity
Acoustics

Philosophy
Plato
Spinoza
Spencer
Dewey

Nature
Animals
Form
Habitat
Plants
Birds
Reptiles
Insects

Horticulture
Landscaping
Gardening
Breeding
Hothouses

Geography
Mountains
Oceans
Rivers
Cities

Literature and Drama
Poetry
Novels
Satires

Chemistry
Food Chemistry
Elements
Compounds
Formulas
Processes

Physiology
Bones
Muscles
Nerves
Circulation
Respiration

Medicine
Prophylaxis
Pathology
Therapeutics
Surgery
Drugs

Astronomy
Solar System
Meteors
Planets

Aviation
Airplanes
Dirigibles
Airlines
Instruments

Mathematics
Arithmetic
Algebra
Geometry
Trigonometry
Calculus

Architecture
Pyramids
Temples
Tombs
Skyscrapers

Fine Arts
Sculpture
Painting
Etching
Printing

Business
Finance
Manufacture
Transportation
Management
Accounting
Installment Selling

Manufacturing
Textiles
Leather
Glass
Vehicles
Ceramics
Steel
Cotton
Machinery
Workmen's Compensation

Law
Property
Crime
Civil
Commercial

Science
Microscopes
Biology
Evolution
Heredity
Sex
Embryology

Religion
Brahmanism
Buddhism
Judaism
Christianity
Mohammedanism

Geology
Rocks
Fossils
Minerals
Earthquakes

History
Discoveries
Wars
Alliances
Exploration

and thousands of other subjects.



The Modern Encyclopedia is the latest and most up-to-date Encyclopedia. Brand new in contents as well as manufacture. All information based on latest records and statistics. *Edited by A. H. McDannald, Editor, the Encyclopedia Americana. 22,000 articles—1,250,000 words. 1,335 pages—1,160 illustrations. Size 6 x 9 x 1-¾ inches. Durable Linen Binding.*

A REAL Encyclopedia

Complete in ONE VOLUME

The Modern Encyclopedia is astoundingly complete in scope, covering the range of 20 big books in ONE convenient volume. It offers the essential facts on every subject without wasting words and space on unnecessary, long-winded discussion. The information you want is instantly found. No long, dull, complicated treatises to strain your eyes, waste your time, tax your patience. No searching through many volumes to find the facts you need. Here is an Encyclopedia that is a pleasure to use. It is brief, simply written, authoritative.

A Liberal Education in ONE Volume

This ONE-volume encyclopedia is a quick and easy means to self-instruction on every subject of practical and cultural value. No graduate ever left a university with more than a small fraction of this information in mind. Either through daily reference for the answers to questions as they arise or through systematic reading, this book can rapidly build up your store of knowledge until you have acquired the equivalent of extensive higher education.

Save Nearly 50% of the Former Price

The Modern Encyclopedia sold originally for $3.50—a phenomenally low price for this great book. Now the price has been slashed nearly in half! Due to wholesale orders for 50,000 copies we have just made a huge printing of this book, effecting economies in manufacture which we pass on to you. You may now have this ONE-volume encyclopedia, in the same format as the original edition, for only $1.95. Here's the biggest bargain in useful knowledge you've ever been offered!

FREE for Examination

You may have this great book for free examination and judge for yourself its amazing value. Send no money now. Just sign and send the coupon. Pay postman only 95¢, plus few cents postage, when the book arrives. If you return the book after a week's inspection, your deposit will be refunded. Otherwise send the balance of $1.00 in 30 days, in full payment. Mail the coupon now.

At Booksellers or Mail This Coupon

Wm. H. Wise & Co., Publishers
Department 803, 50 W. 47th St., New York, N. Y.

Send me one copy of THE MODERN ENCYCLOPEDIA. I will pay the postman 95c (plus a few cents postage) when he delivers it. If I mail the book back after a week's inspection, you will at once refund my deposit. If I keep it, I will send you the balance of $1 when billed 30 days later, in full payment for the book.

Name.....

Address.....

If you care to send $2.10 now, covering cost of ENCYCLOPEDIA and mailing charges, we will include free one copy of The Modern Atlas of the World. Full amount refunded instantly if not more than pleased.

Canadian and foreign orders $2.50 postpaid.

POPULAR SCIENCE MONTHLY FOR MARCH, 1935

In This Issue—Hundreds of Fascinating Articles Tell the Latest News of Laboratory Discoveries, Scientific Triumphs, and Amazing New Inventions

be purchased that will mend any leaks that may be present at these points. Also, go over your eaves troughs. Clean out the dirt and leaves that may have collected during the winter and fall and make sure that the down spouts make good connections with the drains.

In patching the cement work around your home, the secret of success lies in using good cement. The other ingredients—sand and gravel—also should be clean and free from clay.

To repair a break in a sidewalk, such as those caused by the heaving of frosted ground, first carefully remove all of the broken pieces. Brush the surface well with a stiff brush to make sure that even the smallest bits of loose cement have been removed. Soak it well with water; it not only helps to remove the dirt but also prepares the surface for the new cement. If the break is smooth, roughen the surface with a cold chisel to furnish a good bond.

FOR a small job, mix the cement by adding three parts of sand to one of cement. If a large repair is being tackled, a mixture of one part cement, two parts sand, and three parts gravel should be used. Measure them carefully, and mix them well before adding just enough water to make the mixture smooth but not too wet.

If the break is at the side of the walk, place a straight board along the edge to serve as a form and fill in the hole until it is level. Finally, sprinkle a little pure cement on the wet surface and trowel it smooth. To guard against freezing, cover the repair with burlap, straw, or manure.

When the ground is soft, put an end to porous cellar walls that are continually leaking dampness. Dig a narrow ditch around your house to expose the foundation and then apply two coats of hot asphalt or coal tar to the outside surface. Prepared coatings that can be applied cold also can be obtained.

An inexpensive, colorless solution for damp-proofing cellar walls from the inside can be made by dissolving paraffin in kerosene, using about one and one half pounds of paraffin for every gallon of the solvent. The kerosene should be warmed carefully to about eighty degrees Fahrenheit and the paraffin added in small bits. Naturally, extreme care must be used in both heating and applying the mixture.

VERY often, a leaky cellar wall can be traced directly to a crack. In this case, the home owner can put a Saturday afternoon to good use by chinking it with cement. Spray the crack well with water, and then stuff in a rich mixture of cement to which a small amount of lime has been added. Incidentally, hydrated lime added in the proportions of one part to every ten of cement will tend to make any mix more waterproof.

As spring gets under way, each week will present other jobs to the home owner. Shutting down of the furnace will call for a general cleaning and whitewashing of the cellar. Milder weather will allow interiors to be painted and windows to be glazed. And the end of the May rains will offer ideal weather for painting the outside trim.

Our Readers Say

Java Has Everything —Except Home Workshops!

I AM living as a doctor on beautiful Java, in the rather large town of Semarang, population 250,000. We have everything here—lots of interesting medical work, and in the evenings concerts, movies, clubs, and other entertainment. But—nobody is interested in a home workshop. The general belief is that the heat is too great, which it is not, as it never exceeds ninety-three degrees. I am the only amateur here who possesses a real photographic dark room, of which I am rather proud. POPULAR SCIENCE MONTHLY is very much in favor in Semarang. If you could publish an article on glass blowing, I would be very much obliged.—P.V.O., Semarang, Java.

It's a Slow Bullet but It Would Get There

IN ANSWER to the problem submitted by B. H., Georgetown, Ky., I would say that if the train were traveling at the rate of fifty miles an hour and a bullet were fired from the caboose toward the engineer's cab, and the bullet traveled at exactly fifty miles per hour, it *would* reach the cab. The bullet, being fired from aboard the train, is already traveling fifty miles per hour even before it is fired. When it leaves the barrel at a velocity of fifty miles per hour, that speed must be related directly to the train. The bullet will therefore be traveling at 100 miles per hour with reference to the ground and fifty miles per hour faster than the train. It will reach the engine cab in the same length of time it takes the train to progress the same distance. Perhaps, with some encouragement, B.H. will give us a real problem.—F.C., White Plains, N. Y.

Getting the Most Out of a Piece of Tin

HERE is a sensible problem for a mathematician: I have a piece of tin eighteen inches square. I want to make from this tin a water container that will hold the greatest amount of water possible. What size would the container be, in height and width? Also, what size squares would have to be cut out and wasted? Many of your readers will be able to work this out—maybe. Some say that the height and width have nothing to do with it. They are wrong. Others say that if only one square inch is cut out of each corner, the resulting container will hold most. They, too, are wrong. This problem is a little more difficult than the one about the wire stretched around the earth. How many can solve it?—H.M., Utica, Mich.



But How Could We Make the Bugs Tune In?

IN A RECENT issue you published an article about killing insects with radio waves, and another about killing germs in decayed teeth by the same method. Why could not radio waves be utilized to kill all the insects, germs, and other pests that we have to contend with? Maybe the waves could be sent out at long range without the use of electrodes, clearing large areas of pests at one time.—T.H., Dayton, Ohio.

Now That He Has the Boat, He Wants a Shrimp Net!

I HAVE just completed and launched the general utility rowboat for which you published plans in your August issue, and I must say that I am more than delighted with the results. She rides well in the water and floats as lightly as a canoe. You are certainly to be congratulated on the splendid design. I have not had a chance yet to try her with a motor, but I can see from the way she handles with the oars that a light twin will make her split the water. We fish in salt water off the coast of Georgia, using live shrimp for bait, and a shrimp casting net is almost an essential part of our equipment. How about running an article showing how to make one? They are equally good for casting for minnows. I am also interested in a small cabin cruiser, say twenty-four feet long, of shallow draft yet seaworthy enough to take out on fair days ten or fifteen miles to the gulf stream. I know you would find many readers interested in such a craft. It could be powered with a converted V8 Ford motor, or even with a model A, and would do eighteen to twenty-five miles an hour under favorable conditions. When you get around to it, have your designers give us plans for it.—H.O.R., Atlanta, Ga.

Microscopists, Attention! Here's an Easy One

IN SOME stagnant water I was examining under the microscope, I saw a long, transparent, wormlike creature that was blunt on one end and tapered down to a fine point at the other. It had organs running from the interior end to a point midway of the tail. I wonder if some reader could help me out in identifying the creature.—W.C.M., Peoria, Ill.

This Sounds Like a Corking Good Idea

HERE'S a hint for the amateur chemist whose cork stoppers are eaten away by lye: Take a cork that fits the bottle and make a plaster mold with it. Fill the mold with melted lead, and when it is cool file the lead stopper smooth. This stopper will resist the action of lye. How about plans for a microtome fitted with an old razor blade, and instructions for using it?—L.J.L., Philadelphia, Pa.

Some Competition for the Weather Man

I READ your recent article on "Making a Wind Gauge" (P.S.M., Jan. '35, p. 64) with great interest. I have been thinking for some time of setting up a home weather bureau, and this gives me my first opportunity to get started on it. It seems to me that with a little practice we amateurs ought to be able to hit a better average than the professionals who guess for the newspapers. I hope you will publish more information on weather, describing such instruments as a recording thermometer, mercury barometer, hygrometer, and seismograph. I would also appreciate suggestions as to any instruments I will need to buy, and where they can be purchased.—H.S., St. Louis, Mo.



This is to express our appreciation of the article on the homemade anemometer, in the January issue. In our work of gliding and soaring, the weather plays a highly important part. We recently found that an anemometer was a necessity, and were about to go to work to design one for ourselves. Your instrument just fills the bill.—Intercourse Glider Club, Intercourse, Pa.

Try to Thrill a Microscopist With a Racing Car!

I AGREE with Miss M.D.M., of St. Augustine, Fla. Why not put in more articles on machines? Chemistry and microscopy are very interesting subjects, but they don't give you the thrill of seeing your first engine run or driving your homemade car. Why not give us some dope on racing cars? I've been fooling around with one and have had a lot of fun.—R.S., Hanover, N. H.

A Britisher Must Have His Umbrella, Even at a Fire

A RECENT issue of POPULAR SCIENCE MONTHLY showed London firemen using asbestos suits and umbrellas for protection against sparks and brands. Having once held the business end of a fire hose (while the regular fireman picked himself up off the ground), I have grave doubts of the practical value of the umbrellas. Wrestling with a hose with pressure around a hundred pounds, a fireman has neither time nor arms to spare for holding an umbrella. London firemen can have their asbestos umbrellas;

HERE'S YOUR CHANCE TO WIN A $3200 BOAT

THE VALSPAR AWARDS FOR BOAT OWNERS



•As makers of Valspar Yacht Finishes we are naturally proud of our Marine Paints and Varnishes.

But we don't ask anyone to take our word about them.

We do want boat owners to *prove* the quality of Valspar Marine Paints and Varnishes to each other in their own practical way.

That's why we offer the Valspar Awards.

For the fourteen best answers to the question, "Why Valspar Marine Paints and Varnishes are best for my boat" we offer the extraordinary awards listed at the right.

All you do is write two letters

Letter No. 1. Fill out the entry blank on this page and mail it to us. This qualifies you to compete. On receipt of your entry we will send you complete rules by mail.

Letter No. 2. After receipt of these rules, write us in your own words why Valspar Marine Paints and Varnishes are best for your boat. Send this to us not later than June 1st.

By July 10th the awards will be made. They will be shipped as soon as possible thereafter. Names of winners will be announced in the August numbers of the yachting magazines.

Remember—

• To compete you must own a boat—any boat from a rowboat up will do.
• To qualify you must send in the entry blank with all questions answered.
• To have your entry considered for the awards you must conform to the rules which will be mailed to you.

Good luck to you!

THESE ARE THE VALSPAR AWARDS

FIRST AWARD

Winner's Choice of:

MATTHEWS 25-foot Motor Sailer; complete extras; Grey Sea Scout Motor; electric starter.
CAPE COD 26-foot Auxiliary Schooner; Palmer Little Huskie engine; fully equipped.
GAR WOOD 25-foot Runabout; speed 34 miles; Chrysler Imperial 125 h.p. motor.
DODGE 25½-foot Runabout; speed 35 miles; Lycoming 165 h.p. motor.
CHRIS CRAFT 22-foot Runabout model 29; speed 35 miles; Chrysler Imperial 125 h.p. motor.
HACKER 23-foot special Runabout; speed 36 miles; Chrysler Imperial 125 h.p. motor.
CHRIS CRAFT 30-foot Double Stateroom Cruiser; 6-cylinder Chrysler motor.
WHEELER 30-foot Playmate Sedan Sea Skiff; Chrysler Crown reduction gear engine.
WHEELER 28-foot Deluxe Playmate Sedan Cruiser; Chrysler Ace motor.

3 SECOND AWARDS

Winners' Choices of:

18-foot Outboard Hull—Old Town Model C, complete with all extras but without engine.
31 h.p., 4 cyl. Evinrude Imperial Speedy Quad outboard motor.
Class A Standard Sailing Dinghy—Dyer Dink, fully equipped.

10 THIRD AWARDS

Winners' Choices of:

Lemaire Marine Glasses • Set of 40 Signal Flags (New Code) • Philco Boat and Auto Radio, Model No. 11 • Searchlight—No. 500—1 Mile Ray—deck mounting • Alcohol Stove—3 burner Aristocrat model • Under-light Compass and Binnacle • National Marine Speedometer for runabouts • Jones Tachometer • Diving Helmet, with double action pump and tube • Air Blast Electric Horn.

HERE IS HOW YOU ENTER

Simply fill in this coupon and mail it to Valentine & Co., (Dept. P-3) 386 4th Ave., New York.

1. Name.....
2. Address.....
.....
3. Type or rig of boat owned.....
4. Length.....
5. Do you lay up at a yard?.....
6. If so what yard? Name.....
Address.....
.....
7. Do you do your own painting?.....
8. If not who does? Name.....
Address.....
.....
9. Where do you buy your paint, varnish, etc.?
Name.....
Address.....
.....
10. Who specifies the make of paint and varnish on your boat?.....
11. What is her color scheme?
Cabin, outside.....
Cabin, inside.....
Hull.....
Bottom.....
Deck and cabin top.....
12. If you should win first award which of the models would be most interesting to you? If you will tell us we will ask the manufacturer to send you full information.
.....
.....

give me a high-pressure hose. Of course, asbestos suits have long been used for rescue work in the navies of the world.—P.G.D., Chicago, Ill.

One Good Problem Just Leads to Another

Looks like the boys in Our Readers Say are going in for some heavy mathematics. More power to them—and please print some more problems. We can take it. I'll help the work along with the following: A frustum of a cone has a slant height of twenty-four inches and upper diameter of six inches. What should be the diameter of the base to give maximum volume to the frustum? Throughout the depression I have always managed to scrape up enough money to buy Popular Science Monthly. I just couldn't miss Our Readers Say with its interesting problems.—F.L.M., Aurora, Ill.



Knowing What To Invent Is the Inventor's Business

There's just one thing wrong with the suggestion of V.E.H., Los Angeles, Calif., that you start a "What To Invent" department. Knowing what to invent is what inventors really get paid for; once the need is seen, almost anybody can figure out how to meet it. For example: I had long been irritated by the paper wrappers you find on lumps of sugar in some restaurants. To peel off the wrapper, you had to get your finger nail under the overlapping edge of the paper. I suppose everybody else had experienced the same inconvenience, but nobody did anything about it, apparently accepting it as one of the irritating things in life. Then suddenly, one day, in my favorite restaurant, I discovered that the wrappers had changed. There was a projecting tab on the overlapping edge, making it an easy matter to grasp it and tear it off. Simple, wasn't it? Somebody had just used his noodle. But the real work was in seeing that something *could* be done about the matter. If anybody had thought to list this in a "What To Invent" column, he could have gone on himself and worked it out. The best thing for the would-be inventor to do is to cultivate the mental habit of always asking himself, "Isn't there a better way to do this?" —D.M., New York City.

Regardless of Physics, It's Bad Table Manners

I have a problem which has proved a hard one for both me and my dad. Any physicist will tell you that when you put a cork loosely in the neck of a bottle and then exhaust the air from the bottle, it is the pressure of the air on the outside, and not the suction on the inside, that pushes the cork in. But how does this principle apply when you suck up a string of spaghetti into your mouth? It doesn't seem possible that the pressure on the outside could push it in. If the pressure were exerted on the end of the string, it would crumple up. If the spaghetti were pushed on the side, it wouldn't get anywhere. It couldn't be pushed on both side and end, because it's hanging limp. So how come? I wish somebody would give me a lift on this problem, for the sake of my peace of mind.—J.L.P., Geneva, Switzerland.



A Reader Rallies to the Defense of Darwin

I would like to say this much in defense of Darwin's theory against the attack of L. S.B., of Fullerton, Calif.: In the first place I cannot see where he offers any substantial argument against Darwin's theory. Darwin's theory deals with life and not with the material of which life is composed. Chemistry, as well as physics, is a study of natural laws, and a study of how man may use them to his own advantage. Water is a natural compound because the valence of oxygen is two and the valence of hydrogen is one. Thus water is composed of two volumes of hydrogen to one volume of oxygen. Valence is a natural law that states whether or not two elements will combine, and if they will combine, in what proportions. Because of this, water is the same today as it was millions of years ago when the earth was a mass of molten rock being torn from the sun by a passing celestial body. Suppose that these natural laws did not hold true. Water might one day be hydrogen peroxide, and the next day it might suddenly turn into its respective gases and disappear into the atmosphere. Darwin said that over long periods of time animals and plants either developed or degenerated according to their environment and the amount of competition each encountered in its life. He also said that organs were developed according to whether or not they were needed. In this manner the lizards who had developed a liking for jumping through the air either while playing or while hunting, found through the course of ages that their scales were gradually turning to feathers. I hope that what I have said shows that chemistry and evolution can in no way be connected with each other. The existence of the animal and plant life that we have today is entirely dependent upon the stability of the laws of nature.—F.H., Fort Wayne, Ind.



There's No Frustrating This Math Shark

Those problems in mathematics handed out by E. A., Sault Sainte Marie, Mich., were A-1 muscle builders in pencil-pushing. I refer to the "helix on a frustum of a cone" and the physics problem in heat absorption. On the helix, I finally obtained a formula for accurate results only after integrating the polar coördinate formula for length of an arc of any curve. My answer turned out to be 235.99 inches, for the length of helix. The flat development of the surface shows a curve of the spiral family. In the physics problem of the steel cube placed in the hot oven, the fact that the flow of heat into the cube slows up continuously as the difference in temperature between oven and cube approaches zero, means that the cube never does reach the exact temperature of the oven; the time is infinity, theoretically.—W.H., Detroit, Mich.

Inventor Finds the Answer to a Housewife's Prayer

The Texas housewife who "put the inventors on the spot" in Our Readers Say recently, can have one of her wishes filled. She demanded a non-droppable coat hanger; well, I have the coat hanger that she and many other housewives have been looking for. After repeating the daily exercise of picking up coat hangers for years, I devised a hook that will stay on the pole, rod, or clothesline. It does not require any extra clamps or springs. In the past year I made several of them for people in the neighborhood, and they say the device works fine. I am now arranging to have it manufactured and marketed.—J.P.D., Milwaukee, Wis.

It Might Be Easier To Dig Somewhere Else

I have been afraid for some time that some math bug would send in the problem about the horse in the circular field and that I would not have the will power to leave it alone. The solution involves calculus (and, of course, analytical geometry, trigonometry, algebra, geometry, and arithmetic) and for that reason I do not believe that a detailed solution here is practical. A length of 180 feet for the rope will give an area that is correct to about four tenths of one percent. Since the solution of the equation obtained by integrating is a cut-and-try, or "Newton's method" solution, I left it at 180 feet rather than carry it further. Now *I'll* ask one: A man digs a well twelve feet in diameter and in doing so finds a log two feet in diameter lying directly across the center of the hole. What is the volume of the section of the log that he has to cut out in order to dig the well through it and complete the job?—J.J.T., Shadyside, Ohio.



More Kind Words for the Vapor Buggy

I saw the request of F.H., Lincoln, Kans., for an article on steam-driven automobiles. I have been wondering a lot myself about why they are not being used now, and would like to see an article on them. To my mind, the great handicap of the steam automobile is the difficulty of generating steam in a mobile unit. The steam engine is really simpler and requires less parts than an internal-combustion engine.—L.C., Memphis, Tenn.

Like F.H., I am a steam-automobile enthusiast. I know from experience of the advantages of this form of power for automobiles, having formerly owned a car of this type.—F.R.V., Baltimore, Md.

And California Is Still To Be Heard From

Let G.S.L., of Newcastle, Australia, who boasts of fifteen days of fine weather, meditate upon this: At a Civilian Conservation Corps camp here at Tucson, where outdoor work is done exclusively, they lost only three hours of work all last winter (from September to June) on account of bad weather.—G.H.R., Tucson, Ariz.

A Late Flare-up of the Christmcs Spirit

Maybe some of your readers can explain this: While experimenting with a Ford spark coil, I connected up a burned-out Christmas-tree bulb to the secondary terminals. The filament in the bulb was perfect except for a small break about one fortieth of an inch wide. Of course, this rendered the bulb inoperative. When I switched on the current, the bulb glowed with a weird blue light. This glow extended from the base of the filament to the place where the break was. Is this due to some kind of gas inside the bulb? If not, what caused it?—J.R.B., Windsor, Conn.



Trans-Canada

Where Else Might I Look?

Flying Whirligig Is Newest Aircraft

Helicopter with jet engines mounted on tips of rotor blades is shown in flight above Los Angeles. Engine exhaust and fuel tanks are mounted on tail boom.

MAN LAUNCHES MISSILE

A soldier aboard an Army airboat launches a Nike guided missile from a platform on the craft. Missile is fired from a launcher which is mounted on a pivot and can be aimed in any direction. Missile is guided to its target by radio signals from a ground station. Nike is the only missile in operation now.

A YEARS WORK-HOUR contains the 168 minutes of the regular week, 52 weeks in the year. Add 40 hours of overtime, 2 weeks vacation, 6 holidays, 1 week sick leave, 1 week for personal needs, time lost in accidents, and you have 1,800 hours. Subtract this from 2,080 hours and you have 280 hours. Add 40 hours of overtime and you have 320 hours. Add 40 hours of overtime and you have 360 hours. Add 40 hours of overtime and you have 400 hours. Add 40 hours of overtime and you have 440 hours. Add 40 hours of overtime and you have 480 hours. Add 40 hours of overtime and you have 520 hours. Add 40 hours of overtime and you have 560 hours. Add 40 hours of overtime and you have 600 hours. Add 40 hours of overtime and you have 640 hours. Add 40 hours of overtime and you have 680 hours. Add 40 hours of overtime and you have 720 hours. Add 40 hours of overtime and you have 760 hours. Add 40 hours of overtime and you have 800 hours. Add 40 hours of overtime and you have 840 hours. Add 40 hours of overtime and you have 880 hours. Add 40 hours of overtime and you have 920 hours. Add 40 hours of overtime and you have 960 hours. Add 40 hours of overtime and you have 1,000 hours. Add 40 hours of overtime and you have 1,040 hours. Add 40 hours of overtime and you have 1,080 hours. Add 40 hours of overtime and you have 1,120 hours. Add 40 hours of overtime and you have 1,160 hours. Add 40 hours of overtime and you have 1,200 hours. Add 40 hours of overtime and you have 1,240 hours. Add 40 hours of overtime and you have 1,280 hours. Add 40 hours of overtime and you have 1,320 hours. Add 40 hours of overtime and you have 1,360 hours. Add 40 hours of overtime and you have 1,400 hours. Add 40 hours of overtime and you have 1,440 hours. Add 40 hours of overtime and you have 1,480 hours. Add 40 hours of overtime and you have 1,520 hours. Add 40 hours of overtime and you have 1,560 hours. Add 40 hours of overtime and you have 1,600 hours. Add 40 hours of overtime and you have 1,640 hours. Add 40 hours of overtime and you have 1,680 hours. Add 40 hours of overtime and you have 1,720 hours. Add 40 hours of overtime and you have 1,760 hours. Add 40 hours of overtime and you have 1,800 hours. Add 40 hours of overtime and you have 1,840 hours. Add 40 hours of overtime and you have 1,880 hours. Add 40 hours of overtime and you have 1,920 hours. Add 40 hours of overtime and you have 1,960 hours. Add 40 hours of overtime and you have 2,000 hours. Add 40 hours of overtime and you have 2,040 hours. Add 40 hours of overtime and you have 2,080 hours.

RAMBLER FIT IN CARRYALL

A 1959 Rambler station wagon is driven into the cargo hold of a C-124 Globemaster transport plane. Rambler is being shipped to Europe for use by U.S. Army officers. Plane can carry 68,500 pounds of cargo.

FEED HIT IN OUR SAFETY TEST

Man-carrying rocket sled reaches near maximum speed of 632 miles per hour during test run at Edwards Air Force Base, Calif. Rocket engines, shown mounted on sled's rear, develop 35,000 pounds of thrust. Sled is propelled along a track by the rockets. Purpose of the test is to study the effects of high speed on man. Test subject is Col. John P. Stapp, Air Force flight surgeon, who is strapped to the sled. Sled is stopped by water brakes.

Nuclear

Jonathan Schell

Mind Matters

Mrs. Lucy Mitchell and Mrs. Ethel Mitchell Hall, daughters of Dr. Silas Weir Mitchell, at the Mitchell home in Philadelphia.

Dr. Mitchell's study, with his portrait by Sargent, as it looks today.

Dr. Mitchell's bedroom, with the bed he died in, as it looks today.

ANCIENT OLD INDIAN VILLAGE

By Charles Morrow Wilson

Photographs by Author

Ancient Indian village site on the Arkansas River, as it looks today.

Indian pottery found on the site.

Indian arrowheads found on the site.

GREAT TIME AND DEATH BLOCKBUSTER

Hollywood's biggest blockbuster of time and death is the Great Pyramid of Cheops, which rises 481 feet above the desert sands of Egypt. Its base covers 13 acres. Its weight is 6,000,000 tons. It contains 2,300,000 blocks of stone, each averaging 2½ tons in weight. Its builders were 100,000 slaves who toiled for 20 years.

Ancient Egyptian tomb paintings show how the stones were moved.

Ancient Egyptian tomb paintings show how the stones were moved.

Raise Better Crops

The Man and the Net


Hyaluron
Hyaluron
Hyaluron
Hyaluron
Hyaluron
Hyaluron

Memories and Reunions

Car Watcher

VALUABLE HINTS FOR *Radio Workers*

Fills Cabinet Scratches

A SIMPLE way to remove scratches from cabinet finishes is provided by the application of a coat of iodine to the scratches. According to Radio Service Dealer, the iodine will not only fill the scratches with a stable and permanent material, but will also color the wood to match the surrounding finish, so that the scratches will disappear almost entirely. The iodine should be applied with a small brush, and the excess wiped off with a soft cloth. Several coats may be necessary before the iodine can be satisfactorily applied without showing brush marks.

Electric Die Sharpener

A MACHINE that works exactly like a lead pencil sharpener, but is used to sharpen the ends of drills, is the Vaco Tool of All, as it is more properly called, by the Vaco Products Co. The machine is designed to fit over the standard electric drill motor, and is driven by the motor of the drill. It has two cones, a large and smaller, which are set at an angle to each other. The drill is placed between the cones, and the motor turned on. The drill is then pushed between the cones in the notch, or blade, which is formed by the meeting of the cones, and the motor continues to turn the drill. The cones are made of abrasive material, and serve to give perfect cutting edges to the drill. The machine is made in two sizes, one for drills up to 1/4 inch, and the other for drills up to 1/2 inch.

Roof Telescoping Portable Antenna

THE roof telescoping portable antenna is the latest thing in broadcast receivers. It consists of a metal mast which telescopes from a height of 5 feet to 20 feet, and is supported by a tripod. The mast is held in position by means of a telescoping guy wire, which is attached to the roof of the car by means of a suction cup. The antenna is made by the Radio Specialty Co., and is available for either general, portable or automobile use. The mast is made of aluminum tubing, and the guy wire is of steel. The base of the antenna can be fastened to the tripod, or to the roof of the car, by means of a suction cup. The antenna is made in two sections, for convenience in carrying.

Neon Fuse Guards Against Excessive Voltage

MOST home owners experience trouble from time to time because of the fuses blowing out. Usually the trouble is caused by too many appliances being connected to the circuit, but sometimes it is caused by a short circuit in the wiring, or in the appliances themselves. Installations, conditions, and circumstances vary so much that it is impossible to say what is the correct fuse to use in each case, but excessive voltage is always dangerous.

Soldering-Iron Sheath

IF YOU do your radio experimenting at the kitchen table, you will appreciate the soldering-iron sheath that is made by the Independent Insulated Sheath Manufacturing Co. It is a sheath of asbestos and cloth, which is placed on your soldering iron when it is not in use. The sheath, when placed on the soldering iron, will keep the heat from burning the table top, and will also keep the heat in the iron, so that it will not cool off so quickly when you are ready to use it again.

Test Strips Insulation

THE insulation on wires can be tested for breaks in a very simple manner, if you have a neon lamp. Simply connect the wire to be tested to the lamp, and then run the wire through the fingers of the other hand. If there is a break in the insulation, the lamp will glow when the wire touches the bare metal.

More radio hints are shown in the following items: 5th, 6th, 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 15th, 16th, 17th, 18th, 19th, 20th, 21st, 22nd, 23rd, 24th, 25th, 26th, 27th, 28th, 29th, 30th, 31st, 32nd, 33rd, 34th, 35th, 36th, 37th, 38th, 39th, 40th, 41st, 42nd, 43rd, 44th, 45th, 46th, 47th, 48th, 49th, 50th, 51st, 52nd, 53rd, 54th, 55th, 56th, 57th, 58th, 59th, 60th, 61st, 62nd, 63rd, 64th, 65th, 66th, 67th, 68th, 69th, 70th, 71st, 72nd, 73rd, 74th, 75th, 76th, 77th, 78th, 79th, 80th, 81st, 82nd, 83rd, 84th, 85th, 86th, 87th, 88th, 89th, 90th, 91st, 92nd, 93rd, 94th, 95th, 96th, 97th, 98th, 99th, 100th, 101st, 102nd, 103rd, 104th, 105th, 106th, 107th, 108th, 109th, 110th, 111th, 112th, 113th, 114th, 115th, 116th, 117th, 118th, 119th, 120th, 121st, 122nd, 123rd, 124th, 125th, 126th, 127th, 128th, 129th, 130th, 131st, 132nd, 133rd, 134th, 135th, 136th, 137th, 138th, 139th, 140th, 141st, 142nd, 143rd, 144th, 145th, 146th, 147th, 148th, 149th, 150th, 151st, 152nd, 153rd, 154th, 155th, 156th, 157th, 158th, 159th, 160th, 161st, 162nd, 163rd, 164th, 165th, 166th, 167th, 168th, 169th, 170th, 171st, 172nd, 173rd, 174th, 175th, 176th, 177th, 178th, 179th, 180th, 181st, 182nd, 183rd, 184th, 185th, 186th, 187th, 188th, 189th, 190th, 191st, 192nd, 193rd, 194th, 195th, 196th, 197th, 198th, 199th, 200th, 201st, 202nd, 203rd, 204th, 205th, 206th, 207th, 208th, 209th, 210th, 211th, 212th, 213th, 214th, 215th, 216th, 217th, 218th, 219th, 220th, 221st, 222nd, 223rd, 224th, 225th, 226th, 227th, 228th, 229th, 230th, 231st, 232nd, 233rd, 234th, 235th, 236th, 237th, 238th, 239th, 240th, 241st, 242nd, 243rd, 244th, 245th, 246th, 247th, 248th, 249th, 250th, 251st, 252nd, 253rd, 254th, 255th, 256th, 257th, 258th, 259th, 260th, 261st, 262nd, 263rd, 264th, 265th, 266th, 267th, 268th, 269th, 270th, 271st, 272nd, 273rd, 274th, 275th, 276th, 277th, 278th, 279th, 280th, 281st, 282nd, 283rd, 284th, 285th, 286th, 287th, 288th, 289th, 290th, 291st, 292nd, 293rd, 294th, 295th, 296th, 297th, 298th, 299th, 300th, 301st, 302nd, 303rd, 304th, 305th, 306th, 307th, 308th, 309th, 310th, 311th, 312th, 313th, 314th, 315th, 316th, 317th, 318th, 319th, 320th, 321st, 322nd, 323rd, 324th, 325th, 326th, 327th, 328th, 329th, 330th, 331st, 332nd, 333rd, 334th, 335th, 336th, 337th, 338th, 339th, 340th, 341st, 342nd, 343rd, 344th, 345th, 346th, 347th, 348th, 349th, 350th, 351st, 352nd, 353rd, 354th, 355th, 356th, 357th, 358th, 359th, 360th, 361st, 362nd, 363rd, 364th, 365th, 366th, 367th, 368th, 369th, 370th, 371st, 372nd, 373rd, 374th, 375th, 376th, 377th, 378th, 379th, 380th, 381st, 382nd, 383rd, 384th, 385th, 386th, 387th, 388th, 389th, 390th, 391st, 392nd, 393rd, 394th, 395th, 396th, 397th, 398th, 399th, 400th, 401st, 402nd, 403rd, 404th, 405th, 406th, 407th, 408th, 409th, 410th, 411th, 412th, 413th, 414th, 415th, 416th, 417th, 418th, 419th, 420th, 421st, 422nd, 423rd, 424th, 425th, 426th, 427th, 428th, 429th, 430th, 431st, 432nd, 433rd, 434th, 435th, 436th, 437th, 438th, 439th, 440th, 441st, 442nd, 443rd, 444th, 445th, 446th, 447th, 448th, 449th, 450th, 451st, 452nd, 453rd, 454th, 455th, 456th, 457th, 458th, 459th, 460th, 461st, 462nd, 463rd, 464th, 465th, 466th, 467th, 468th, 469th, 470th, 471st, 472nd, 473rd, 474th, 475th, 476th, 477th, 478th, 479th, 480th, 481st, 482nd, 483rd, 484th, 485th, 486th, 487th, 488th, 489th, 490th, 491st, 492nd, 493rd, 494th, 495th, 496th, 497th, 498th, 499th, 500th, 501st, 502nd, 503rd, 504th, 505th, 506th, 507th, 508th, 509th, 510th, 511th, 512th, 513th, 514th, 515th, 516th, 517th, 518th, 519th, 520th, 521st, 522nd, 523rd, 524th, 525th, 526th, 527th, 528th, 529th, 530th, 531st, 532nd, 533rd, 534th, 535th, 536th, 537th, 538th, 539th, 540th, 541st, 542nd, 543rd, 544th, 545th, 546th, 547th, 548th, 549th, 550th, 551st, 552nd, 553rd, 554th, 555th, 556th, 557th, 558th, 559th, 560th, 561st, 562nd, 563rd, 564th, 565th, 566th, 567th, 568th, 569th, 570th, 571st, 572nd, 573rd, 574th, 575th, 576th, 577th, 578th, 579th, 580th, 581st, 582nd, 583rd, 584th, 585th, 586th, 587th, 588th, 589th, 590th, 591st, 592nd, 593rd, 594th, 595th, 596th, 597th, 598th, 599th, 600th, 601st, 602nd, 603rd, 604th, 605th, 606th, 607th, 608th, 609th, 610th, 611th, 612th, 613th, 614th, 615th, 616th, 617th, 618th, 619th, 620th, 621st, 622nd, 623rd, 624th, 625th, 626th, 627th, 628th, 629th, 630th, 631st, 632nd, 633rd, 634th, 635th, 636th, 637th, 638th, 639th, 640th, 641st, 642nd, 643rd, 644th, 645th, 646th, 647th, 648th, 649th, 650th, 651st, 652nd, 653rd, 654th, 655th, 656th, 657th, 658th, 659th, 660th, 661st, 662nd, 663rd, 664th, 665th, 666th, 667th, 668th, 669th, 670th, 671st, 672nd, 673rd, 674th, 675th, 676th, 677th, 678th, 679th, 680th, 681st, 682nd, 683rd, 684th, 685th, 686th, 687th, 688th, 689th, 690th, 691st, 692nd, 693rd, 694th, 695th, 696th, 697th, 698th, 699th, 700th, 701st, 702nd, 703rd, 704th, 705th, 706th, 707th, 708th, 709th, 710th, 711th, 712th, 713th, 714th, 715th, 716th, 717th, 718th, 719th, 720th, 721st, 722nd, 723rd, 724th, 725th, 726th, 727th, 728th, 729th, 730th, 731st, 732nd, 733rd, 734th, 735th, 736th, 737th, 738th, 739th, 740th, 741st, 742nd, 743rd, 744th, 745th, 746th, 747th, 748th, 749th, 750th, 751st, 752nd, 753rd, 754th, 755th, 756th, 757th, 758th, 759th, 760th, 761st, 762nd, 763rd, 764th, 765th, 766th, 767th, 768th, 769th, 770th, 771st, 772nd, 773rd, 774th, 775th, 776th, 777th, 778th, 779th, 780th, 781st, 782nd, 783rd, 784th, 785th, 786th, 787th, 788th, 789th, 790th, 791st, 792nd, 793rd, 794th, 795th, 796th, 797th, 798th, 799th, 800th, 801st, 802nd, 803rd, 804th, 805th, 806th, 807th, 808th, 809th, 810th, 811th, 812th, 813th, 814th, 815th, 816th, 817th, 818th, 819th, 820th, 821st, 822nd, 823rd, 824th, 825th, 826th, 827th, 828th, 829th, 830th, 831st, 832nd, 833rd, 834th, 835th, 836th, 837th, 838th, 839th, 840th, 841st, 842nd, 843rd, 844th, 845th, 846th, 847th, 848th, 849th, 850th, 851st, 852nd, 853rd, 854th, 855th, 856th, 857th, 858th, 859th, 860th, 861st, 862nd, 863rd, 864th, 865th, 866th, 867th, 868th, 869th, 870th, 871st, 872nd, 873rd, 874th, 875th, 876th, 877th, 878th, 879th, 880th, 881st, 882nd, 883rd, 884th, 885th, 886th, 887th, 888th, 889th, 890th, 891st, 892nd, 893rd, 894th, 895th, 896th, 897th, 898th, 899th, 900th, 901st, 902nd, 903rd, 904th, 905th, 906th, 907th, 908th, 909th, 910th, 911th, 912th, 913th, 914th, 915th, 916th, 917th, 918th, 919th, 920th, 921st, 922nd, 923rd, 924th, 925th, 926th, 927th, 928th, 929th, 930th, 931st, 932nd, 933rd, 934th, 935th, 936th, 937th, 938th, 939th, 940th, 941st, 942nd, 943rd, 944th, 945th, 946th, 947th, 948th, 949th, 950th, 951st, 952nd, 953rd, 954th, 955th, 956th, 957th, 958th, 959th, 960th, 961st, 962nd, 963rd, 964th, 965th, 966th, 967th, 968th, 969th, 970th, 971st, 972nd, 973rd, 974th, 975th, 976th, 977th, 978th, 979th, 980th, 981st, 982nd, 983rd, 984th, 985th, 986th, 987th, 988th, 989th, 990th, 991st, 992nd, 993rd, 994th, 995th, 996th, 997th, 998th, 999th, 1000th.

White House Names Mystery

TELLS HOW TO MAKE A LOW-COST

Drum for Weather Instruments

It will have a never-circling eye on your wind gauge . . . Can be adapted to other uses

ALL WEATHER instruments have their own peculiarities, but they have one thing in common: they all require some kind of recording device. Whether it be a pen, a pencil, or a stylus, it must be driven by a clock mechanism. Here is a drum that will do the job for any of the instruments mentioned above. It is simple to make, and can be adapted to other uses.

The drum is made from a piece of 3/4-inch plywood, 12 inches square, and a piece of 1/4-inch plywood, 6 inches square. Glue a 5-inch disk for each piece of plywood. Then, with a 5-inch hole saw, cut the disks from the plywood. Drill a 1/4-inch hole in the center of each disk. Mount the 1/4-inch disk on the 3/4-inch disk with flathead screws, countersunk so that the heads will be flush with the surface of the 1/4-inch disk.

Mount the drum on the shaft of a synchronous motor. Use a 1/4-inch machine screw, with a washer and a nut, to hold the drum on the shaft. Be sure that the drum is centered on the shaft, and that it is perpendicular to the shaft. Otherwise, the drum will wobble when it is turned. If the drum is not centered, it will wobble when it is turned.



COMPLETE IN THIS ISSUE

A New Trading

Designed by **Captain E. Armitage McCann**
to record a rapidly vanishing type of vessel



These two sketches, another on the facing page, and a fourth on page 107 were made from photos of the *L. A. Simpson* to show a typical Great Lakes schooner

IN RESPONSE to many requests for a trading schooner model, we are illustrating, complete in this issue, the lines, sail plan, and some details for a vessel of that kind.

There are, of course, various schooner-rigged vessels, which may be roughly classified as schooner yachts, fishing schooners, and trading schooners. Of these, each one varies from the other. They may be large or small and have from two to, in one instance, seven masts. Some have sails only, others are fitted with auxiliary engines.

In build, certain schooners have flush decks (on one level) fore and aft, with or without deck houses; some have a poop, forecastle, and main deck; others, as in our plan, have a long quarter-deck and well-deck forward, with skylights and all accommodations below.

Schooners are built differently in various parts of the country. The West Coast, Great Lakes, and "Down East" have their own general characteristics. Some are heavily built with clipper bows and stern, heavy catheads, and resemble clipper ships except for the sail plan. The West Coast appear to be, on the average, the largest and heaviest, the Great Lakes schooners next, and the East Coast smallest. These factors are, of course, governed by the





BLUEPRINTS for Popular Science Monthly projects are listed on page 82.

Schooner Model

cargoes they are intended to carry—lumber, iron ore, cement, bricks, or coal.

Our schooner is of the Maine type. More schooners, but not the largest, have been built at Maine ports than elsewhere, yet they are becoming scarce because of the difficulty of finding cargoes for them. They can carry goods more cheaply than the steamers, but are not so certain in their date of delivery. The last little boom they had was carrying lumber from the West Coast to Florida during the building boom. The *Lyman M. Davis*, said to be the last of the Lake schooners, has recently been broken up.

Other countries have been less inclined to favor this type of coaster, preferring topsail schooners, brigs, and the like. Here, however, there have been great fleets of them, particularly on the East Coast, carrying passengers and every conceivable kind of cargo in and out of all ports, large and small.

Trading schooners vary in size from under 100 ft. in length to 395 ft in the case of the *T. W. Lawson*. The favorite size was from 150 to 200 ft. We have chosen one 128 ft. long by 28 ft. beam, because a great many of about this size have been built. Such a length makes a good-sized model for building on the scale of ⅛ in. equals 1 ft. Three masts are the usual rig for a vessel of this length.

Any reader who has not previously made a hull of this general type can build it by following the instructions for various models previously described in POPULAR SCIENCE MONTHLY. (See especially "How I Build Ship Model Hulls on the Bread-and-Butter Plan," P. S. M., Oct. '33, p. 68.) Half-inch lifts, or water lines, are shown, but any other thickness can be used by redrafting the half-breadth plan from the body plan.

Deck view on board the *L. A. Simpson*. Our model differs to some extent in design, but try to make the details look as real

I suggest making the hull right up to the top line of the sheer plan and then cutting down the well deck and fitting the bulwarks. It would perhaps make an even better-looking hull if one left it flush fore- and aft, with a rail, as aft, right around, and raised the forward skylight and other fittings to that level, but with the bowsprit, of course, below the deck, and the hawse pipes lengthened. The windlass is as shown on the designer's plans, but I believe the model should have a more efficient windlass, *(Continued on page 107)*



The plans above and on the facing page are for a model of a Maine type schooner about 22½ in. long over all. Use the inch scale for finding dimensions

FRANKLIN H. GOTTSHALL designs a

Chippendale Stool

FOR YOUR LIVING ROOM

By making this graceful stool, the amateur can practice both carving and upholstering without spending much for materials

DESIGNED in Chippendale style, this stool is graceful enough to be used in a richly furnished living room. It will serve as a comfortable seat, but is especially intended to be placed in front of a wing chair, such as the one described in a previous article (P. S. M., Dec. '34, p. 68).

Use mahogany for the legs, but the stretchers may be made of hard pine.

To upholster the stool, tack webbing to the bottom of the seat frame. Two strips lengthwise and three crosswise will suffice. Sew six 5-in. springs to the webbing where it is crossed, and tie these to the frame as shown. The springs should not be compressed by the tying. After the springs have been tied, cover them with a good grade of burlap to prevent the filling material from going through the seat. Spread the filling material (either curled hair or moss) evenly in a layer about 2 in. thick, allowing it to hang over the sides as shown. Sew a few stitches through the filling material into the burlap to help hold it in place. Next cover the filling material with muslin, tacking it as shown. A layer of cotton felt may be placed under the muslin, on top of the seat, if desired. This will help to make the seat smoother. Finally cover the seat with the upholstering material, tacking it with brass-headed upholstering nails.



Drawings of the assembled stool, how to lay out the carving, and method of tying the springs and applying the upholstery. The legs are mahogany, but the rails may be a less costly wood



RACK TO HOLD DRAWINGS

DRAFTSMEN often have to work in temporary quarters where there is no convenient place for rolled-up blueprints, detail sketches, and other reference material. A rack for this purpose can be made in a few minutes as shown above.—J.D.G.



FITTING A SELF-TIMER TO A BOX CAMERA

EVEN if you have only a box camera, you can attach a standard self-timer to it as shown above and thus be able to get into a group photograph yourself. Besides the timer, you will need a cable shutter release. Mount the cable release as shown with a small bracket of thin aluminum or other suitable sheet metal. This is riveted directly under the box-camera shutter release. The self-timer is slipped on the other end of the cable release.

Each time this device is to be used, the shutter trigger must be in the "down" position. If it is in the "up" position, set it while holding a hand over the lens so that no light can enter as the shutter opens.—GEORGE S. GREENE.

Homemade Darkroom Clock

Rosa Parks Is Dead at 92; Refused to Give Up Bus Seat

Ford Materials and Methods

Dr. Emma Paul Samsin is part of the Ford Research Laboratory staff. She holds a Ph.D. degree.

Another important scale, that used in connection with the testing of Ford steel, is the one Henry Ford, Edsel Ford and Dr. Samsin are using here. Ford Motor Company engineers and Ford dealers are now in various cities, driving Ford cars equipped with aluminum cylinder heads. Aluminum, unfortunately, requires more attention than do other metals.

Aluminum is a metal that is used in Ford cars and trucks because it is light in weight. Ford steel alloy, likewise, is used because it is possible Ford engineers to obtain from it the strength they want.

Still in manufacture is heavy steel alloy, which is used in the axleshaft of a Ford truck. Ford engineers have found that heavy cars and commercial vehicles require more steel and resistance. Steel, therefore, that is strong enough to be used in a Ford truck is not strong enough to be used in passenger cars.

The quality of steel in the steel used in Ford cars and trucks is now under the supervision of Dr. Emma Paul Samsin.

At both Ford cars and trucks there is a high standard of quality. All of these machines, makes it possible to inspect every piece of material entering into the production of the automobiles. Ford engineers have found that the high quality of Ford parts makes it possible to manufacture these automobiles at reasonable prices. Without a Ford motor car or commercial vehicle, which is the result of careful engineering, the best materials available, quality workmanship, and low prices, no car is a Ford.

Last year Lieutenant Ford and Dr. Samsin made a number of their pictures that appear in this Ford Research Laboratory.



PLANS FOR A SOLID MODEL OF A

Beautiful New Cabin Plane

The finished model, how the wings are fastened, and the various parts before they are assembled. Complete working drawings are given at the top of the page. The scale of the model in comparison to the full-size airplane is ⅜ in. equals 1 ft.

ONE of the most attractive cabin biplanes with radial engines is the Beechcraft. The negative staggered wings, the landing lights built into the wheel "pants," and the graceful curves give the ship a character all its own.

Fourteen units are required for this model, or fifteen if the cowl is made separately as shown in the photographs. Be sure to have the fuselage blank absolutely square all ways before you mark the profiles and do any carving.

You will notice that the wing-tips are tapered on the bottom instead of the top, as is usually done. Shape the wings in one piece, cut it in two, and cut one stub off each half of lower wing. Small nails with their heads cut off, or short pieces of wire, hold the wings in place. Long lips at each end of the wing struts, which fit into slots in the wings, keep them in position. Scratch the lips with a sharp point and set in casein glue or cement.

The "pants" are shaped by marking the profiles on the blanks and cutting them out with a fine-toothed coping saw. Cut away the square edges and round up smoothly with sandpaper. Nail or glue them to the wing stubs.

The propeller is made of three pieces. Scratch the ends of the blades and glue them in slots in the wooden hub.

Coat the model with clear nitrate dope, then paint the complete plane with light blue enamel. Trim it as shown with a rich dark blue. To mark the dark blue areas accurately, cut out paper patterns representing the parts to be left a light blue. Then lay the pattern on the model and trace around them, using a hard pencil on the wooden parts and a scriber on the metal. Use black for the windows, cowl recess, tires, and other details. Paint the landing lights yellow, and the wing-tip lights red and green, as indicated.

In constructing highly simplified models of this type, much depends upon neat painting.—Donald W. Clark.

WHY TAKE CHANCES WITH EYES?

Good light costs no little.

Eyesight is priceless . . . good light is cheap. Why take unnecessary risks? You can buy a genuine 100-watt Edison Mazda lamp, for-day that is as fine for reading, writing or watching, for only 25 cents, and the smaller sizes, 75-watts and under, for only 20 cents. These good things not only help prevent eyestrain . . . they protect your pocketbook by using electricity economically. And they don't cost you a penny more. Why take chances? Look for this mark ⓖ on every bulb you buy. General Electric Co., Nela Park, Cleveland, O.

EDISON MAZDA LAMPS
GENERAL ⓖ ELECTRIC

Basement RIFLE RANGE

Gives Haunt Year-Round Practice

By Leonard F. Merrill

BASEMENT is becoming the favorite spot for the location of a rifle range, and the building of one is a very simple matter. The walls, floor, ceiling, backing, and the necessary safety precautions are all easily arranged.

The first thing to do is to decide how long the range is to be. Twenty-five feet is the best and most convenient for most purposes, but if more room is available, it may be made longer.

Next, the backing must be provided. Generally, there is a dirt bank, or a bank of sand, behind the cellar wall, and this is the best backing. If there is no bank, a pile of sand should be placed against the wall. Dirt and sand are the best backing materials, as they will stop the bullet without ricochet. Next, the target must be placed. This should be at least 2 feet from the wall, and may be hung from the ceiling or placed on a stand. The target should be placed at the end of the range, and the shooting line should be 25 feet from the target. The shooting line should be marked on the floor, and the shooter should not be allowed to step over it.

Next, the wall above and all space behind which could be struck by the bullet must be protected. Sheet iron or steel will do very good as backing, if used over a wooden wall. Sheet iron or steel may be fastened to the wall with screws, or it may be held in place by a wooden frame. Sheet iron or steel should be placed on the wall behind the target, and should extend from the floor to the ceiling, and from side to side of the range. Sheet iron or steel should also be placed on the wall behind the shooting line, and should extend from the floor to the ceiling, and from side to side of the range. Sheet iron or steel should also be placed on the ceiling above the shooting line, and should extend from side to side of the range. Sheet iron or steel should also be placed on the floor behind the shooting line, and should extend from side to side of the range.

(Continued on page 108)

Instructions for target and backing are given on page 108 and 109 for 22 cal. ammunition. Go

Local Briefs

Council to Hear Zoning Appeal

The Riverside City Council will hear an appeal Tuesday on a zoning change that would allow construction of a 12-unit apartment building on Elm Street. Neighbors have petitioned against the change, citing traffic concerns.

Library Hours Extended

Beginning April 1, the Riverside Public Library will remain open until 9 p.m. on Tuesdays and Thursdays. Officials said the change was made in response to requests from students preparing for exams.

Road Repairs Begin Monday

Crews will begin repaving Main Street between Oak and Pine on Monday. Expect delays of up to 20 minutes during peak hours. The project is scheduled to finish by May 15.

Obituary: Harold Whitman

Harold Whitman, 78, a longtime resident of Riverside and former mail carrier, died Wednesday at his home. He is survived by his wife, two children, and five grandchildren. Services will be held Saturday at 10 a.m.

Weather

Today: Partly cloudy, high 58. Tonight: Clear, low 34. Tomorrow: Sunny, high 61.

A NEIGHBORING DRUM

Reminds Cecil Rhodes of Home Ties

CECIL RHODES, the famous Empire builder, was a man of many interests. He was a keen sportsman, an ardent lover of nature, and a great traveler. But his chief interest was in the development of the British Empire. Rhodes was born in England, but he spent most of his life in Africa. He went to Africa for his health, and he remained there because he found that he could do more for England from there than he could at home. He was a man of action, and he liked to get things done. He was a man of vision, and he saw the possibilities of Africa. He was a man of courage, and he was not afraid to take risks. He was a man of faith, and he believed in himself and in his country. He was a man of hope, and he never gave up. He was a man of love, and he loved his fellow men. He was a man of peace, and he worked for peace. He was a man of war, and he fought for his country. He was a man of contradictions, and he was a man of great complexity. He was a man of great ambition, and he was a man of great humility. He was a man of great wealth, and he was a man of great poverty. He was a man of great power, and he was a man of great weakness. He was a man of great success, and he was a man of great failure. He was a man of great joy, and he was a man of great sorrow. He was a man of great life, and he was a man of great death.

Bringing Home the Bacon

Bacon is a staple in many households, but it's not always the healthiest choice. Here are some tips for enjoying bacon without overdoing it.

- Choose turkey bacon or lean pork bacon.
- Look for bacon with no added nitrates or nitrites.
- Cook bacon on a rack so the fat drains away.
- Limit yourself to one or two slices per serving.

Cooking with Cast Iron

Cast iron skillets are durable, versatile, and can last for generations. They're also great for cooking bacon.

- Season your skillet before first use.
- Avoid using soap when cleaning.
- Dry thoroughly after washing.
- Store with a paper towel between pans.

Bacon Recipes

Here are some delicious ways to use bacon in your cooking.

- Bacon-wrapped dates
- Bacon and egg breakfast sandwich
- Bacon-wrapped asparagus
- Bacon and cheese quiche

Skinny? New easy way adds pounds

Special FREE offer

List of Materials

$2,000 GUILD CONTEST

(Continued from page 88)

land. The program included a get-together party, a "science of seeing" show, and talks by Mrs. Celia Hudson, director of the Electrical League lecture bureau, and W. E. Connley, an electrical engineer. A number of electrical gifts were given as door prizes.

Spokane Homecrafters, Spokane, Wash. The members could hardly believe their eyes at a recent demonstration on the use of a skew chisel in wood turning, given by Knute Engdahl, president of a sash and door company. He did stunts that looked impossible with no other tool but the chisel. His engagements do not permit him to attend meetings more often than once a month, but he has been made an honorary member. . . . Other recent demonstrations included one by Chase Charlton on the metal turning lathe; another by J. B. Maxwell, a paint company representative, on finishing; and a third by Paul Pugsley on metal work. Mr. Pugsley also displayed a remarkable collection of fine tools. . . . Since this club is limited in membership and has no vacancies, W. E. Mitchell, the president, and the other officers and members are anxious to see another home workshop club started in Spokane with unlimited membership. They will give any desired assistance to that end.

Topeka Homeworkshop Club, Topeka, Kans. Thirty boys are now regularly attending the meetings of the junior auxiliary conducted by this club in coöperation with the Y. M. C. A. Among the hobbies followed are woodworking, archery, model airplanes, leather work, photography, microscopy, and cement modeling. Because of the growth of the boys' division, Clyde F. Cook, president of the club, in an address before the Optimist Club, suggested that woodworking and metalworking tools be provided by any of his listeners who had some to spare. The Optimist Club took up this idea and broadcast an appeal to the entire city. The boys' auxiliary is the first one started by any club affiliated with the National Homeworkshop Guild and has been successful from the start. . . . "The Topeka Homeworkshop Club News Bulletin" is now being issued in greatly improved typographical style. Besides club news, there is a page of workshop hints.

Jacksonville Homeworkshop Club, Jacksonville, Fla. To en- *(Continued on page 92)*

EXHAUST MYTH

Wage Freeze Considered

Cabinet Ministers are not overworked, says Mr. Wilson

Spectator's Cabinet

NEW KEY CASE DEADENS ALL JANGLING SOUNDS

Each key can be slid out on the chain as needed

THIS attractive key case of new design has several advantages. When carried in a pocket or purse, the keys are inclosed, a snap fastener keeping them firmly in place. When in use, one or two keys can be slid out on the chain, leaving the others inside. This protects the panel of a car in driving and prevents the noise caused by dangling keys.

The case can be made from any kind of leather, but tooling calf is necessary if a design is to be impressed in it. The most popular colors are black, brown, tan, and blue with lace either to match or in a darker color for contrast. Materials needed are one piece of leather 2⅛ by 6 in., 2½ yds. of 3/32-in. lace, one snap fastener, and one key chain obtainable in five-and-ten-cent stores.

Lay out the design on paper. Moisten the underside of the leather and fasten it to a board with two or three thumb tacks at the edge. Place the design on the leather, fasten with thumb tacks, and trace with a 4H pencil, being careful not to press too hard. Remove the layout and carefully indent the design in the leather with a tracer. Lay a dime on each corner and trim off circular as shown at *A*, rounding the corners ⅜ in. each way. Keep the leather *(Continued on page 95)*



The key case as it appears when tooled and punched, and the method of lacing the edges

Always mention POPULAR SCIENCE MONTHLY when answering advertisements in this magazine.

Secrets of Success

MAGNA SPECIAL

Magna Special Offer

Magna Special Offer

Magna Special Offer

PRINT SHOP ON WHEELS

accumulate a savings account that would put me in business for myself.

After sinking my few hundred dollars into a small but modern printing shop, I anticipated big things—but soon I learned that all the pluck, initiative, ambition and energetic effort within my being could not cope with established competition in an over-crowded field.

I used every weapon to secure business, except that of unethical price-cutting, yet the rewards scarcely paid the rental on my shop.

Something had to be done. I knew that a forced sale of my equipment would mean a tremendous loss to me, so the next best thing was to try to trade it for a more promising line. I inserted an ad in the "swap" column offering the business for "what have you."

My first—and only—reply to the ad was from a young man who had had experience in a job printing shop, but had branched off into the trucking business. He owned a good three-ton truck, and sought to trade it for my equipment. He confessed that the truck transportation business had been somewhat uncertain lately, and I, too, with Washingtonian honesty, admitted my disappointments in the independent printing shop game.

Realizing that we each apparently possessed "white elephants" as far as income was concerned, we considered means of co-operating and our ultimate decision was to attempt a novel experiment.

That was about a year ago, and now we have what we believe to be the most completely equipped, if not the *only* traveling job printing shop in the country. Instead of bringing business to the shop, we take the shop to the business, visiting villages and small towns where no shops are located. We give "while you wait" service on small and rush jobs, holding the bigger orders for future delivery when possible—and, believe it or not, a good portion of this work is done while our shop is traveling from place to place. We have one assistant.

Our portable shop is not spacious, and we must resort to a foot propelled press, but from the first day on the road we have been busy even to the extent of missing Sunday School!—Z.T., Branford, Conn.

• • •

STARTS SHOPPING SERVICE

BERT tossed aside his magazine. He wished glumly that he might find a job. There was very little business activity in the small New Hampshire town in which he lived, and the future looked black to him—nothing to do here, and no money to go elsewhere. What chance did a young man have? He rose and stretched—he supposed he might as well do that repair job on his old car.

The work had progressed only a little way when Bert found a part which needed

NEW SCHOONER MODEL

(Continued from page 69)



Mast rings and fife rail of *L. A. Simpson*

as shown in the detail drawing, just abaft the natural line of the hawse pipes.

If the model is to be of an auxiliary schooner, the stern will be differently built, so the lines for this are also given.

A schooner of this type would probably have a hand winch at both hatches, but no provision is made for a donkey engine, although many schooners carried one. The steering gear presumably was of the worm type.

Plans for the forecastle and aftercabin are given so that these parts can be fitted, if desired, with skylights that lift up and reveal the interior.

The spars are pine, and the rigging, wire. Rigging screws (turnbuckles) are indicated in place of deadeyes for tightening down the shrouds and backstays, but many masters still prefer deadeyes, because the lanyards have just a little give and there is nothing to become rusty.

Battens would probably be used in place of ratlines, but not invariably. Sometimes they extend to the caps, and occasionally all the way up. If ratlines are used, extend every fifth to the outside shrouds.

Fife rails at the masts were usual, but this vessel does not appear to have had them, so I have indicated pinrails under the rigging; these would be bolted to the timbers immediately under the wide top rail. There are no channels, and the chain plates are set in grooves in the hull.

Enlarged details of the iron work aloft are shown. These fittings are peculiar to schooners.

Quite a few of the more recent schooners have been fitted with a standing bowsprit, but the bowsprit and jib boom shown are more typical. This rig calls for the usual dolphin striker, martingales and backropes, with, as a rule, a short, knee-shaped cathead. The standing boom does not require these.

The shape and size of the sails can be taken from the plan, but if you are not familiar with sails it might be well to study a previous article I wrote on fore-and-aft sails (P.S.M., Sept. '32, p. 64). Before shipping the masts, do not forget to place the hoops and the hanks (rings) on them, as well as on the forestays for the jibs.

The jib sheets will be double, with long pennants, heavy blocks, and runners, one leading to each side—the weather one being slack. The fore and main boom sheets will be twofold with the lower blocks shackled to large rings, which are bolted through the deck to beams.

The tackles shown under the booms are to steady the booms on either side. The gaff-topsail tacks go on the lee side of the peak halyards and are dipped, if the schooner is to remain on one tack for long.

For a longer vessel with more masts, the added masts would be duplicates of the mainmast shown.



KIT Q

This is the privateer *Swallow*, a model with 12½-in. hull

GG. Same with hull blocks shaped.... 7.25*
L. Farragut's flagship *Hartford*, a steam-and-sail sloop-of-war, 33½-in. hull..... 7.95*
LL. Same with hull lifts sawed..... 8.45*
Q. Privateer *Swallow*, 12½-in. hull, with lifts sawed to shape..... 4.95*
V. Clipper *Sovereign of the Seas*, 20½-in. hull, with lifts sawed to shape..... 4.95*
Y. Trading schooner, three-masted, 17½-in. hull..... 4.90*

SIMPLIFIED SHIP MODEL KITS

F. Liner S.S. *Manhattan*, 12-in..... 1.00
H. Cruiser U.S.S. *Indianapolis*, 12-in.... 1.50
J. Clipper ship *Sea Witch*, 13-in..... 1.50

MODEL-OF-THE-MONTH KITS

M. Aircraft carrier *Saratoga*, 18-in..... 1.00
N. Four U.S. destroyers, each 6¼-in.... .75
O. Liner S. S. *St. Louis*, 11-in..... 1.00
P. Cup yacht *Rainbow*, 7½-in..... .75
R. U. S. cruiser *Tuscaloosa*, 11¾-in... 1.00
S. S. S. *Savannah* (first steamship to cross Atlantic), 3½-in., and S. S. *Atlantic*, 6-in. (two models in one kit)..... .75
T. U.S.S. *Brooklyn*, armored cruiser in Spanish American War, 8-in..... .75
U. *Hispaniola*, the ship in "Treasure Island," 7-in..... .50
X. S. S. *California*, 12½-in..... 1.00

FURNITURE KITS

No. 2. Solid mahogany tray-top table 23 in. high with a 15 in. diameter top. Ready to assemble, but without finishes..... 5.40*

No. 4. Solid mahogany book trough 22½ in. long, 9½ in. wide, and 24¾ in. high over all. Ready to assemble, with finishes..... 5.30*

No. 5. Solid rock maple hanging wall rack with one drawer, 19½ in. wide, 33¾ in. high. Ready to assemble and stain included..... 5.75*

No. 6. Solid rock maple butterfly table, top 19 to 22 in., height 22½ in. Ready to assemble and stain included..... 6.90*

NOTE: If you live west of the Mississippi River, add 50 cents to all prices marked with an asterisk (*) because of the heavy shipping charges. Otherwise all prices are postpaid anywhere in the United States. The kits marked with an asterisk will be sent C. O. D. upon request, but the purchaser will have to pay 28 cents additional upon delivery.

Popular Science Monthly,
381 Fourth Avenue, New York, N. Y.

Please send me Kit.....for which I inclose $.....(or send C. O. D. ☐)

Name .....

Address .....

City .....State .....
(Print name very clearly.)

Please remember that no kits can be sent C. O. D. except as noted above. This offer is made only in the United States.

Sunday Times Business

Section 3

ODD MACHINES PUT FUN IN MOVIES

(Continued from page 27)

plants large enough to yield the raw material for such imitations of hammers, chairs and other heavy objects used for playful socking on the comedy set. Lighter and more fragile than balsa wood, yucca is being widely used in place of it at West Coast studios.

After the sap has gone down, they cut the tall plants, which sometimes gain as much as twelve inches in diameter in a single season. Then they strip off the heavy bark and cut up the pith into boards. Yucca chairs retail for about $7.50 apiece, wine bottles for $7 a dozen, sledge hammers for $3 and giant wrenches for $5.

BECAUSE bottles, plates and other "breakaway" objects made of wax "go mushy" on the sound track, thin plaster is being used instead. It breaks with a realistic crash. Often, the side of such an imitation milk bottle is thinner than a sheet of this paper. The necks of the bottles, where the actors grasp them, are made heavier to withstand the pressure. Painted plaster-of-Paris plates, looking exactly like china, often weigh less than two ounces.

"When we make rocks," one veteran prop man told me, "we clean house, throwing in everything soft we have lying around."

The smaller rocks are formed of layers of newspaper covered with brown building paper and filled with excelsior and similar materials. The larger bowlders, such as roll down mountain sides to block the path of the villain, are likewise made of layers of paper. First, strips of brown paper are glued around a rattan frame. When they are dry, the covering is cut open and removed from the frame. Then it is glued together again and additional layers of paper are cemented in place over it. A "two-ton" rock of this sort could land squarely on your head without injuring you, since it weighs only a couple of pounds.

When a comedian stumbles through a glass door he doesn't really endanger himself. For the glass isn't glass at all, but candy. Thin, transparent sheets of hardened sugar and water look exactly like glass on the studio set and are widely used. Because of the fragile character of most breakaway objects, the propmakers turn out six times as many as are actually needed in a scene, to take care of accidental breakage.

In one recent comedy, the biggest laugh came from a trick shirt front. A pompous gentleman entered a room in full dress, unbuttoned his coat with a sweeping gesture, and his shirt bosom rolled up like a window curtain! The prop man who made it sewed a coil spring from a clock at either side of the shirt bosom. Unbuttoning the coat released the spring and permitted it to coil up again, rolling the shirt front with it.

A jumping-bean gag, which was the high point in another reel, depended upon the ingenuity of a propmaker for its success. In the comedy, a blundering actor fills a pot by mistake with Mexican jumping beans and puts it in an oven. Later, when he tries to taste the beans to see if they are done, they hop out of the ladle before he can get them to his mouth. The dipper was fitted with an interior spoon set on a spring. A wire, running down the handle and ending on a ring that fitted over the comic's little finger, enabled him to trip the release lever by a twitch of his finger, and send the beans flying.

ONE mechanical device, supplied as a comedy prop, worked too well for its own good. Several months ago, an eastern studio was filming a comedy about an eccentric inventor. He had devised a rocking chair with a motor attachment to do the rocking. In the play he pulls the wrong lever and the chair begins to hop around the porch like a hen on a hot plate. The chair, loaded down with gears, cams, and flywheels, appeared at the studio during the noon hour. By the time the camera was ready to shoot, the directors and actors had had so much fun riding the jumping chair that its machinery had broken down and it had to be sent back to the plant for repairs.

Queer inventions are always a fertile field for comedy gags. Scores of them have appeared on the screen in recent years. Of them all, the weirdest undoubtedly was the taxicab rigged up not long ago for a western production.

WHEN the driver pulled one cord, a boxing glove on a telephone extension swung out to indicate a right or left turn. A jerk on another cord started a fan revolving in front of the radiator and this in turn set in motion a mechanical hand which played a tune on a cornet to warn pedestrians. When a jaywalker was struck, the bumper automatically swung around, pivoting on one end, and swept the victim into the gutter.

To start the contraption, the driver pulled a cord which opened a feed box at the rear. A mule, hitched behind, started forward to get the oats and propelled the taxi forward. With the animal never quite catching up with the oats, the ludicrous vehicle rolled down the street.

Another puzzler that took some figuring out, was a horse that scratched its chin with its left hind hoof. Western prop-men finally solved the problem with one of the largest puppets ever filmed. This huge horse had twenty-one wires leading up into the rafters of the big sound stage. Here "puppeteers" operated the wires that gave life to the imitation animal.

Not infrequently, sound plays a big role in making the comedy picture funny. In a film recently released, the comedian steals barefooted down a long hall carrying a sack of roofing nails which he intends to scatter in a rival's bedroom. As he tiptoes along, the nails pour in a steady stream from a hole in the bag. Since the microphone could not be held close enough to the falling nails to record the sound at full strength, a record was made later and dubbed in at the proper place. In making the record, a technician poured the nails into a metal container.

Lifelike dummies of papier-mache and other materials are often used to replace comedians in dangerous situations. Usually, they are photographed from a distance. But, in one film, at least, a dummy of this sort was shot at close range. In a train wreck, a dog rushes up to what appears to be its master and grabs a leg in an effort to pull him out. The leg stretches and stretches and stretches. Rubberized cloth permitted this ludicrous anti-climax to a tense scene.

Oftentimes, the dummies serve as "stand-ins" for actors, taking their positions under the hot lights until the director is ready for action. Because of the effect of the heat and light upon real foods, rubber asparagus, plaster-of-Paris fruit and papier-mache meats are turned out by propmakers to take the place of the genuine articles.

Virtually every comedy filmed these days depends for many of its laughs upon the skill and mechanical ability of prop men. Endless variety, rarely the same thing twice—that is the story of their work. The telephone rings; the mailman arrives; a telegraph messenger appears. And in comes an order that may be for anything from a twenty-foot monkey wrench to a dancing sardine—curious, laugh-getting mechanisms that form the strangest product list on earth.

PEARLS MADE TO ORDER IN ABALONES

(Continued from page 25)

worth considerable money. "Rose buds" are very rough but their exquisite coloring and iridescence place them among the most beautiful of pearls. It is possible for a clever jewelry designer to make fine pieces of art jewelry by using oddly shaped pearls. "Lilies," "leaves," and "petals" have been used in exquisite flower designs such as pansies and apple blossoms, until scarcity has made creation of these ornaments impossible. Such pieces with genuine pearls are now seldom seen but they are imitated in carefully cut pieces of shell. Daisy petals were made by using arrowhead pearls selected for size and color. Occasionally curious pearl formations occur. A Minneapolis jeweler owned a perfectly formed Madonna. Formations in the shape of a bird are sometimes found. "Acorn" pearls are not uncommon. A pearl dealer in Muscatine, Iowa, has a perfect pearl top which will spin on a glass show case. Such peculiar pearls may be mounted into "exclusive" pieces of jewelry by an artist with talent and inspiration, and then command high prices.

UNTIL Bostwick created large pearls in color, man had been unable to match nature in production of the rarer pearls, though Japanese pearl growers produced 600 pounds of true pearls each year.

Until a few years ago, nearly all pearls came from tropic and semitropic seas, most of them being brought up by divers in coastal waters off Asia from the Red Sea to Japan. Then Baron K. Mikimoto successfully produced perfectly formed pearls by selecting and cultivating pearl oysters. His is considered one of the most important scientific developments of modern Japan.

Baron Mikimoto plants the oysters in clear, clean water, whose temperature is above sixty-eight degrees Fahrenheit; on a clear bottom, over which the currents move sufficiently to bring fresh supplies of food. The pearl farms usually are located where there are no octopi or starfish, natural enemies of oysters. One of Mikimoto's "farms" is located in the waters of southern Shima in southeastern Japan. There he operates along a fifty-mile stretch of warm water.

In raising pearls, diving girls first collect young oysters, known as "spats," from the sea bottom. Sometimes even the floating larvæ are captured and the oysters raised. The spats then undergo an operation somewhat like those performed by Bostwick on abalones, in which the mantle parenchyma, a small sack, is removed. Into the sack a small bead of mother-of-pearl is placed. Then, the mouth tied, the sack is inserted into the shell-secreting epidermis of a second oyster. The oyster is then returned to the sea where in time it will cover the bead with several layers of nacre. The bead-bearing oysters are suspended in cages from rafts which are towed into protected bays when storms blow up. Seven years later the pearls reach maturity, when they are harvested, cleaned, sorted and drilled for stringing.

MIKIMOTO plants seven million oysters each year. One fifth of them die, usually as a result of the delicate operation; one fifth fail to produce pearls; three fifths yield pearls of varying values, totaling some 600 pounds in weight. Mikimoto owns seventeen patents covering not only the culture but also the cages and a method for controlling the luster of the pearls. Experts consider these to be natural pearls—all products of one man on ten submarine farms totaling 41,000 acres in extent.

Contrasted with this high degree of productivity, only one shell in a thousand brought up by pearl divers contains a pearl. Pearl fishers usually operate in forty feet of water in two-man teams. The diver descends with a stone weight, fills his basket, and then signals to his partner who pulls up the stone, the oysters, and finally the diver. Natives skilled in this hazardous work remain on the sea bottom from fifty to eighty seconds. One boat will take aboard as much as three tons of shells a day during the four-months season. Four-year-old oysters are those most sought-after.

TWO million people depend upon "natural" pearls for their livelihood. Nearly a half million engage in pearl fishing. The largest fleet has 50,000 naked divers braving shark-infested waters of the pearl banks of the Bahrein islands in the Persian gulf, twenty miles off Al Hasa on the Arabian coast.

These pearl fishers operate from high-decked dhows, as many as thirty-five divers going over the sides from a single dhow. Each carries a basket slung from his neck. He dives into an oyster bed and rapidly places pearl oysters into his basket until, out of breath, he signals the rope men to pull him to the surface. A good diver will gather forty oysters between breaths.

But the divers seldom reap any of the rich rewards of pearling. In debt to the dhow owners, they are virtually slaves to their employers. The fortunes usually go to the merchants around the Persian gulf, who produce from the folds of their often ragged garments bags of pearls, some of which may go to the marts of New York or Paris for the price of a king's ransom.

In the Dutch East Indies, adventurers from all countries seek pearls and pearl shell. Those with adequate capital go out on pearling luggers and employ East Indian divers to descend to the bottom. Diving is confined largely to the archipelago near Aros and Tenember islands, though occasionally some adventurous diver descends into the coral bottom which lies at great depth. One pearl diver recently returned from such a trip with arms and legs paralyzed from the extreme pressure.

THOUGH a pearl may lose "life", an expert can peel off outer discolored or flawed layers. In a few cases lustrous pearls have been restored in this manner, though they were somewhat smaller and less valuable than were the originals before they were dimmed by burial or accident.

Genuine pearls can not be cut or polished like other gems. It is a curious fact that the beauty and value of a pearl increases if it is constantly worn in contact with the skin. The slight moisture from a healthy skin, together with delicate friction from movements, tend to better the pearl and increase its luster. There are in India professional pearl wearers who sit and move about in the sunshine while wearing strings of pearls to enhance their value. Most professional pearl buyers have what are called "pet pearls" which they rub gently between the hands each day. When this is done regularly and properly, the luster is greatly improved and in some cases the value increases by one third to one half.

In relation to other gems, the distinctive characteristics of a true pearl are its luster and its subdued iridescence. It does not flash and glitter like a diamond, but has modest beauty. A fine gem pearl is a criterion of correctness and good taste and is worth, grain for grain, more than a diamond, ruby, or emerald. No new pearl fishery of consequence has been discovered during the last fifty years and fine pearls of size and quality are becoming so scarce that they are now in about the same class as Stradivarius violins.

PLANES THAT GO STRAIGHT UP

(Continued from page 15)

come to earth without crashing in event of engine failure, such craft never will be widely used.

The suggestions for attaining this end have been many. They range from having a collapsible balloon, which can be filled from a tank of compressed hydrogen in an emergency, to folding window-blind wings that the pilot can open by means of a lever. Most inventors, at present, are working along the line of variable-pitch propellers. These lifting screws could be shifted from a positive to a slightly negative angle during the descent. Thus the wind would turn them like the blades of a windmill and check the drop. In addition, just before reaching the ground, the pilot could shift the blades back to their most effective lifting angle and their momentum would produce an upward thrust that would slow the machine down before landing.

A VARIATION of this scheme is proposed by a young American inventor. He plans to have a gyroscope in the machine to keep it level in the air. In a descent, the heavy wheel of the gyroscope would be spun by the whirling blades and when the variable-angle screws were shifted back to their lifting position, the gyroscope would give them added momentum.

Of course, such proposals do not answer the problem of engine failure close to the ground. They are applicable only during a considerable descent to become effective. However, improvement in the landing gear, so it will absorb greater shocks, may take care of this problem. The experimental work with the autogiro has accomplished much in this direction. The modern machine of this type can touch earth without damage when it is dropping twelve feet a second. And, it is the shock of impact and not the fall that does the damage.

In the early nineteen-twenties, there was another burst of activity in the helicopter world. In 1921, the Marquis de Pescara, an Argentine of Italian descent, rode a twin-propeller craft into the air at Barcelona. It was equipped with a small body like a racing car, the engine and radiator being in front and the two screws, revolving at 200 revolutions a minute, overhead. Two years later, at Issy-les-Moulineaux, France, he set a world's record with a flight of approximately half a mile. On July 21 of that year, he achieved the first circle ever flown with a helicopter.

DURING that same year, Etienne Oehmichen, in France, and Dr. George de Bothezat, in America, also made helicopter history. Oehmichen, in a machine with four lifting air screws and a number of auxiliary propellers, won a prize of 90,000 francs by flying over a circular course of nearly a mile

In America, the U. S. Army financed the experiments of De Bothezat. His giant apparatus, measuring sixty-five feet from tip to tip, was shaped like a huge Maltese cross. It had a six-bladed lifting screw, twenty-six and a half feet across, at each of the four outer points. The framework, formed by a maze of tubing and wire, brought the weight of the craft up to 3,400 pounds. Yet, when it was tested at McCook Field, Dayton, Ohio, the apparatus not only lifted its own weight but 1,000 pounds besides. Its balance in the air was so steady that in one flight it lifted three men hanging from three of the four points of the frame. A hundred times, it ascended from the field and landed again without accident. The craft, on one occasion, was clocked at thirty miles an hour in a flight across the field.

Although De Bothezat's helicopter was one of the most successful tested, it flew only in perfect calms, and its provision for changing the pitch of the blades to provide for safe descents in case of engine failure was not tried.

The progress made in vertical flight during 1923 encouraged the British Air Ministry to offer a $250,000 prize for a helicopter that could pass four tests. The winning craft must rise vertically to 2,000 feet and descend, landing without damage. It must climb to 2,000 feet, hover over a given area for half an hour, descend and land without damage. The third test was a flight at 2,000 feet over a twenty-mile course at a speed of sixty miles an hour. For the final test, it had to descend from 500 feet with the engine dead and land in a circle of 100-foot radius.

ALL over the world, a weird array of "flying turtles," "sky windmills" and "aerial tunnels" were reported as being groomed to carry off the prize. But the time limit of the competition came and went without anyone fulfilling the requirements.

However, the Air Ministry has maintained its interest in developing a machine capable of vertical flight. In 1925, Louis Brennan, noted English naval inventor, was subsidized by the government in experiments with an original design. The machine is reported to have lifted 1,000 pounds and to have hovered over one spot for fifteen minutes.

Four years later, in 1929, another machine, the Isacco Helicogyre, was built experimentally under the auspices of the Air Ministry. It had a single huge lifting screw with air-cooled motors at each end equipped with smaller propellers that pulled around the lifting blades. A somewhat similar idea is incorporated in the Curtis-Bleecker helicopter, a $250,000 experimental craft produced a couple of years ago in America. Each of its four lifting blades has a propeller in front to keep the aerial windmill turning.

Two other machines, one in Italy, the other in Belgium, have marked further advances recently.

With twin blades spinning in opposite directions on a central mast, the D'Ascanio helicopter hovered and circled about over an air-field near Rome for more than eight minutes, early in 1931. Lighter than most machines of the kind, it weighs only 1,750 pounds and has a ninety-five horsepower motor. Smaller propellers at the outer edges of the framework aid in directing the craft and in maintaining balance.

The Belgian craft, designed by a mechanic named Florian, is lifted by a pair of twenty-four-foot screws, with a stubby auxiliary propeller spinning between them. Its curious landing gear consists of four shock-absorbing bumpers shaped like elephant hoofs. Rising higher than the surround buildings, the machine hovered aloft for almost ten minutes.

At the present time, a number of inventors are reported working upon the idea of combining a helicopter and a rocket. One plan is to have the lifting screws propelled by rockets, another, and more daring one, is to have the craft shot upward to a desired height as a projectile. Then, when forward momentum ceases, vanes, folded into the side of the projectile, open out and, propelled by an internal motor, carry the machine along as a helicopter.

In the search for the goal of vertical flight, noblemen, mechanics, famous inventors, unknown tinkerers, and noted scientists all have grappled with the problem. They have spent millions of dollars and patents innumerable record their ideas. Yet, so far, only tantalizing, partial success has been their reward.

It is no wonder, then, that men all over the world are awaiting eagerly the forthcoming trials of the English machine.

CHEMISTRY MAKES SUGAR FROM BEETS

(Continued from page 39)

is not room, the diffusion will be equal in both directions.

The juice of the sugar beet is contained in tiny sacs, or cells, made of porous cellulose. When they are immersed in water, the principle of osmosis begins to work. The juice in each cell corresponds to the sirup in the sack which you tied to the end of the glass tube in your experiment. It is heavier in density than the water outside. Hence, the water begins to diffuse through the walls of the cell. There is no room for expansion inside the cell, however, and consequently, as the water enters, the juice is forced out. This process produces a much purer solution of sugar than the old pressure method, for many impurities are left behind in the beet cells. Very little sugar is left, however.

WHEN one of the big, iron diffusors in the sugar factory has been filled with beet noodles, it is sealed and warm water is pumped into it. A few minutes later, the water is drained off and pumped into the next diffusor, which is also filled with noodles. From the second diffusor, it goes to the third. Thus it continues through the entire battery, dissolving more and more juice and increasing in sweetness as it goes. The whole process requires about forty-five minutes from the time when a diffusor is filled with fresh noodles, until the noodles are exhausted of sugar and ready to be removed.

The juice-laden water, as it emerges from the last diffusor, is first measured, and then heated. It is now ready for liming. Every beet sugar factory is equipped with a huge lime kiln which is needed not only for lime production, but also for the production of carbon dioxide. The lime is mixed with water to form milk of lime, which is then added to the raw beet juice as it comes from the diffusors. About three parts of milk of lime are added to 100 parts of juice.

The action of the lime is to purify the juice. Another simple experiment will enable you to see for yourself just what takes place. Take a sugar beet (a carrot or parsnip will serve just as well) and pass it through a vegetable grater. Then let the mass stand in a cup of warm water for ten or fifteen minutes, stirring it occasionally. The water, of course, will diffuse into the plant cells, and the sugar will be dissolved out of them. Other substances will be dissolved too, however—substances which must be removed from the solution before the sugar is removed.

Drain your solution into a beaker and hold it up to the light. You'll probably see many little specks of vegetable fiber in it, but otherwise it will be clear. Now add several drops of milk of lime. The whole solution will turn cloudy white. The lime combines chemically, not with the sugar, but with most of the other substances which are present in the solution, forming insoluble calcium salts which will soon settle to the bottom of your beaker. To prove that the sugar is left in solution, fill another beaker with pure water and put a pinch of sugar in it. Now add several drops of milk of lime, as you did to your other solution. The sugar solution will remain perfectly clear. Therefore you see that the lime precipitates only the impurities in the raw beet juice as it issues from the diffusion battery. The sugar stays in it.

WHEN the juice has been thoroughly limed, it is treated with carbon dioxide gas in what are called carbonatation tanks. This treatment clears the solution of excess lime by precipitating it in the form of calcium carbonate.

These precipitations serve a double purpose. The first, which takes place when lime is added to the beet juice, does away with most of the impurities which have been in solution. It does more, however. If you watched the precipitate settle in your beaker, you probably saw that it carried down with it most of the specks of vegetable fiber and other particles that had been suspended in the solution when you first held it up to the light. The second precipitation, with the carbon dioxide gas, carries down still more of them. Thus the juice is purified both chemically and mechanically.

THE carbonatation of the juice must be watched very carefully, for if it continues too long, serious damage may be done. An expert tester is constantly on duty beside the carbonatation tanks. Every few seconds he draws a sample of juice and holds it up to an electric light.

"He watches for the precipitate to spin," my guide told me, as he explained the process in the Brighton factory. "Just wait here a minute, and you'll see it."

In less than a minute the tester drew a sample in which the white precipitate was swirling downward. Quickly he closed a valve, stopping the flow of carbon dioxide into the tank. The juice was now ready for the first Kelley press.

The Kelley press is simply a filter in which the juice is forced through heavy canvas mats to remove the calcium precipitates. After the first carbonatation and filtration, the juice is carbonatated and filtered a second time to further improve its purity. It is now a clear, brownish solution of almost pure sugar and molasses. The next step is to bleach it so that the sugar produced will be white, instead of brown. This is done with sulphur dioxide gas, which is made to bubble up through the juice. The gas combines with the water in the juice to form sulphurous acid, which is one of the most powerful decolorizers known to present-day chemistry.

This sulphur treatment completes the first phase of operations in the manufacture of sugar from sugar beets. The juice has been extracted from the beets, purged of impurities, and bleached. It is now ready to be cooked until the sugar crystallizes out of it. This is done in two separate operations. First the juice goes to the evaporators, where it is heated in vacuum. Then, after another sulphur treatment and another filtration, it goes to the boilers. Here it is boiled until it "sugars."

When the boilers are finished with it, the beet juice has been reduced to a heavy mixture of molasses and crystalline sugar. Now it goes to the centrifuges, which are big, hollow cylinders, spinning like giant tops, 1,250 revolutions per minute. Here the molasses is whirled through small perforations in the sides of the cylinders, while the sugar crystals are held inside. The sugar from the centrifuges is first dried, and then granulated in a huge drum that slowly revolves, rolling and tumbling the crystals until all lumps have been thoroughly disintegrated.

THE sackers are next in order. Approximately 600,000 pounds of sugar are sacked at the Brighton factory every twenty-four hours. To produce that quantity, almost 2,000 tons of beets are needed. One ton of beets produces about 300 pounds of sugar.

You have heard much about the gold mines of Colorado. You have read about rich strikes which changed poor prospectors into millionaires, almost overnight. Yet the fortunes in precious metals, which have been taken from the mountains of Colorado, are small indeed when compared to the wealth taken annually from the soil in sugar beets. This state produces more than one third of all the beet sugar made in the United States.

HERE'S THE ANSWER

(Continued from page 61)

physical endurance, greater resistance to disease, and a better defense against nervous and mental disorders than those who are underweight.

What Is the Decibel?

J. A. L., WATERBURY, CONN. A decibel is one tenth of a "bel," the standard transmission and sound unit named after Alexander Graham Bell, the inventor of the telephone. The bel does not indicate any specific quantity but is merely a convenient means for expressing a loss or gain ratio for indicating the actual differences in power levels as in the changes in the volume of a sound.

Primary Prismatic Colors

W. J. B., ALEXANDRIA, S. D. Only three of the seven colors of the spectrum are considered as being primary colors. These are red, green, and blue. In pigments, however, the three primary colors are red, yellow, and blue.

A Drop's Volume

Q.—JUST how much liquid is contained in the average drop formed at the end of a medicine dropper?—V. N. B., Jr. Portland, Ore.

A.—THE volume of the average drop can be considered as being equivalent to one twentieth of a cubic centimeter. Similarly, one cubic centimeter equals about twenty drops.

Columbus and the Elements

D. F. T., ST. LOUIS, MO. When Columbus discovered America only eleven of the recognized elements were known, eight of these being metals. In fact, it was not until two hundred years later that the twelfth—phosphorus—was added to the list. The remaining eighty of the ninety-two known elements were discovered during the past two hundred years.

Asks About Asteroids

T. Y. O., HONOLULU, T. H. There are two schools of thought regarding the asteroids revolving about the sun in orbits adjacent to Mars and Jupiter. The first holds that they are the fragments of an exploded planet. The second contends that they are the makings of a planet that never formed. Up to the present, about 1,100 asteroids have been discovered, the largest being about five hundred miles in diameter.

Fourteen Diseases Conquered

H. G. C., MEMPHIS, TENN. Of the thirty-two so-called chief diseases, fourteen could be wiped out entirely if the existing medical knowledge concerning them was put into rigid use.

Removing Match Scratches

Q.—CAN you give me a formula for a polish that will remove match scratches from furniture?—F. D. V., Oakland, Calif.

A.—MATCH scratches on woodwork generally can be removed by rubbing them with a slice of lemon, following this with some powdered whiting, and finally with a soapy cloth.

Car Backfires On Hills

I. C., BROOKLYN, N. Y. One trouble that often causes a car to backfire when it is coasting down hill with the throttle closed can be traced to spark plug points that are too close together.

WHEN YOUR MOTOR MISSES

(Continued from page 62)

but as soon as he tried a trip it ran dry.

"The first time it happened, he thought he'd got some dirty gasoline, so he had the gas line cleaned, threw out three quarters of a tank of gas, and filled up with fresh. It looked like he had it licked until the morning he came in here at the end of his neighbor's tow rope. He was fit to be tied and blamed the gasoline again, but the joke was on him."

"What was the matter? Empty gas tank?"

"WORSE than that," Gus chuckled. "About two weeks ago, he lost his gas-tank cap, so he went to an auto-supply store and bought a fancy, nickel-plated affair. He didn't know there were two kinds and bought one without a vent hole in it. Having a vacuum-tank car, he should have got one with a vent hole. Naturally, the vacuum tank couldn't suck against the vacuum formed in the gas tank so it ran dry. In the city, where he made short runs, the car generally was idle long enough between times for air to leak in around the threads and equalize things, but on long trips, it was just too bad."

"What was the second job?" asked Withers.

"That was a funny one, too. One of our best customers took a long trip about a week ago. Everything went fine until his feed line started to act up. Every hundred miles or so it would get clogged and he'd have to stop and have it blown out. Dirt was getting into the gas tank in some way, but none of the garages along the road could locate it.

"When he got home on Tuesday, he came in here. I had a hunch, and took the tank off the chassis. As I was lifting it up on the bench I heard a peculiar rattle, so I started fishing around inside the tank with a couple of long wires. It wasn't long before I pulled out three feet of rubber tubing."

"Rubber tubing?"

"Sure. He probably had his car parked some place and a gasoline thief tried to siphon off the gas. Something scared him, and instead of pulling the tube out, he dropped it. After that, it was just a question of time until the gasoline started to attack the rubber and break it up into small pieces."

"Are gas troubles the only things that can make a car sputter and miss?" asked Withers.

"Not by a long shot. All sorts of things can happen to make a motor miss, but you generally can trace them by noticing when it misses the most.

"IF IT misses at high speed, but runs pretty smoothly at low speed, it's likely to mean that the breaker points are set too close, that the spark-plug points are too close together, that the high-speed mixture in the carburetor is wrong, or that the valve springs are weak.

"Lots of cars miss at low speed, but run fine at high speed," added Gus. "In that case, the spark plug points may be too far apart, the breaker points may be too widely spaced, the choke may be stuck, the manifold may leak, or the valves may be worn."

"But what makes a car miss at all speeds?" asked Withers.

"A whole mess of things can cause that. Poorly adjusted valves, stuck valves, dirt in the carburetor, a plugged fuel line, leaks in the ignition wiring, bum spark plugs, a cracked distributor head or rotor, or a poor carburetor mixture."

Just then, Joe Clark, Gus's partner, poked his head through the door. "Ned Hoffman just drove in, Gus," he called. "Wants you to take a look at his engine. Got a bad sputter, and thinks maybe one of the spark plugs is fouled."

"What did I tell you?" grinned Gus. "Number four and it's only Wednesday. This seems to be the week when the Model Garage is the port of missing motors."

Figure 1. Jan van Eyck, *The Arnolfini Portrait*, 1434. Oil on oak panel, 82.2 cm × 60 cm. National Gallery, London.

Figure 2. Diego Velázquez, *Las Meninas*, 1656. Oil on canvas, 318 cm × 276 cm. Museo del Prado, Madrid.